

HATCO CORPORATION -- HATCOL 1280 (MIL-L-7808J) -- 9150-00-270-4057

=====
Product Identification
=====

Product ID:HATCOL 1280 (MIL-L-7808J)

MSDS Date:09/12/1990

FSC:9150

NIIN:00-270-4057

MSDS Number: BJQQG

=== Responsible Party ===

Company Name:HATCO CORPORATION

Address:KING GEORGE POST ROAD

City:FORDS

State:NJ

ZIP:08863

Country:US

Info Phone Num:201-738-1000

Emergency Phone Num:201-738-3568

Prepa

er's Name:C. LYNCH

CAGE:KO466

=== Contractor Identification ===

Company Name:HATCO CHEMICAL CORP

Address:KING GEORGE POST ROAD

City:FORDS

State:NJ

ZIP:08863

Country:US

Phone:201-738-3568

CAGE:3W990

Company Name:HATCO CORPORATION

Address:KING GEORGE POST ROAD

City:FORDS

State:NJ

ZIP:08863

Country:US

Phone:908-738-3553/908-738-1000

CAGE:KO466

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

=====
Comp

osition/Information on Ingredients =====

Ingred Name:MIXED TRIMETHYLOLPROPANE ESTERS
CAS:67762-64-5
Other REC Limits:5 MG/M3
ACGIH TLV:5 MG/M3

Ingred Name:NEOPENTYL GLYCOL/CAPRYLIC/CAPRIC ESTER
CAS:70693-32-2
Other REC Limits:5 MG/M3
ACGIH TLV:5 MG/M3

Ingred Name:MIXED TRIMETHYLOLPROPANE ESTERS
CAS:68130-53-0
Other REC Limits:5 MG/M3
ACGIH TLV:5 MG/M3

Ingred Name:TAR ACIDS, CRESYLIC,PHENYL,PHOSPHATE
CAS:68952-35-2
Other REC Limits:5 MG/M3

Ingred Name:DIOCTYL DIPHENYL AMINE
CAS:2660
3-23-6
Other REC Limits:5 MG/M3

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: LOW TO MEDIUM TOXICITY. MAY
CAUSE EYE AND SKIN IRRITATION. CHRONIC:NONE SPECIFIED BY
MANUFACTURER.
Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS
LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.
Effects of Overexposure:NONE KNOWN
Medical Cond Aggravated by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:INHALATION: REMOVE SUBJECT TO FRESH AIR. EYE: FLUSH WITH
PLENTY OF WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION.
SKIN: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING.
DRINK PLENTY OF WATER. GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flas

h Point:410F,210C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WI WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:DIKE OR CONTAIN SPILL. APPLY ABSORBENT. PUT IN CONTAINER. CLOSE CONTAINER. PREVENT FROM GOING INTO SEWER AND WATERWAYS. NOTIFY PROPER AUTHORITIES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY PLACE. FOR INDUSTRIAL USE ONLY.

Other Precautions:AVOID EYE AND SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION.

Ventilation:LOCAL AND MECHANICAL EXHAUST ARE RECOMMENDED.

Protective Gloves:IMPERMEABLE

Eye Protection:CHEMICAL SAFETY GOGGLES/SHIELD

Other Protective Equipment:SAFETY SHOWER AND EYE BATH. OTHER EQUIPMENT AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED CONTACT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health
AVOID INGESTION.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>400F,>204C

Spec Gravity:0.95

Solubility in Water: