

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR-1750 CLASS A, PART B --
8030-00-602-0051

===== Product Identification =====

Product ID:PR-1750 CLASS A, PART B

MSDS Date:10/27/1988

FSC:8030

NIIN:00-602-0051

Kit Part:Y

MSDS Number: BJQTS

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-228-5635

Preparer's Name:AS

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

===== Composition/Information on

Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 5%
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 5%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:PHENOL POLYMER WITH FORMALDEHYDE (PHENOLIC RESIN)
CAS:9003-35-4
Fraction by Wt: < 5%

Ingred Name:VOC, G/L (MIXED): 140.97
RTECS #:9999999VO

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:PROLONGED EXPOSURE AND INGESTION CAN
CAUSE LIVER AND KIDNEY DAMAGE.
Effects of Overexposure:EYES: IRRITATION. SKIN: LOCAL IRRITATION.
MAY CAUSE ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS.
INHALATION: IRRITATION TO NOSE AND THROAT. PROLONGED EXPOSURE
ABOVE TLV MAY CAUSE HEADACHE, FATIGUE, CONFUSION, DIZZINESS,
DROWSINESS, NUMBNESS AND UNCONSCIOUSNESS. INGESTION: MAY CAUSE
NAUSEA AND VOMITING.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF
SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND
WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION:
REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT, CONSULT A
PHYSICIAN

ICIAN. INGESTION: CONSULT A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:PMCC

Flash Point:62.0F,16.7C

Lower Limits:1.8

Upper Limits:10.0 (MEK)

Extinguishing Media:CO2, DRY CHEMICAL, FOAM AND WATER FOG.

Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS.

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. WEAR AIR-SUPPLIED RESPIRATOR FOR MAJOR UNVENTILATED SPILL. COVER WITH ABSORBANT. SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.

=====
Handling and Storage
=====

Other Precautions:THIS PRODUCT CONTAINS A TOXIC CHEMICAL OR CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:WHEN APPLYING IN CONFINED AREAS OR IN OTHER CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF SOLVENT IN EXCESS OF TLV, USE AN ORGANIC VAPOR CARTRIDGE RESPIRATOR OR AIR-SUPPLIED RESPIRATOR.

Ventilation:GENERAL VENTILATION TO MAINTAIN VAPORS BELOW TLV.

Protective Gloves:SOLVENT RESISTANT GLOVES.

Eye Protection:CHEMICAL GOGGLES OR FULL-FACE SHIELD.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Spec Gravity:1.41

Solubility in Water:SLIGHT

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:OXIDES OF CARBON, SO2, AND TRACES OF H2S.

=====
Disposal Considerations
=====

Waste Disposal Methods:EPA WASTE NO. D-001. DISPOSE OF SPILLS

GE IN

COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.