

OMNITECH INTERNATIONAL INC -- HYDRAULIC FLUID PETROLEUM BASE MIL-H-6083E --  
9150-00-159-4472

===== Product Identification =====

Product ID:HYDRAULIC FLUID PETROLEUM BASE MIL-H-6083E

MSDS Date:10/16/1990

FSC:9150

NIIN:00-159-4472

MSDS Number: BJRBS

=== Responsible Party ===

Company Name:OMNITECH INTERNATIONAL INC

Address:800 N ACADIA RD

City:THIBODAUX

State:LA

ZIP:70301

Country:US

Info Phone Num:5

04-446-2003

Emergency Phone Num:504-446-2003

CAGE:KO342

=== Contractor Identification ===

Company Name:OMNITECH INTERNATIONAL INC

Address:800 N ACADIA RD

City:THIBODAUX

State:LA

ZIP:70301

Country:US

Phone:504-446-2003

CAGE:KO342

Company Name:QPL INC, FORMERLY OMNITECH INTERNATIONAL, INC.

Address:800 N. ACADIA ROAD

Box:City:THIBODAUX

State:LA

ZIP:70301

Country:US

Phone:504-394-8440

CAGE:0AD61

===== Composition/Information on Ingredients =====

Ingred Name:"NOT HAZARDOUS" PER MA

NUFACTURER

Other REC Limits:NONE SPECIFIED

Ingred Name:PROPELLANT CONSISTS OF INGREDIENTS 3 AND 4.

RTECS #:9999999ZZ

Other REC Limits:NONE SPECIFIED

Ingred Name:BUTANE

CAS:106-97-8

RTECS #:EJ4200000

Fraction by Wt: 60%

Other REC Limits:NONE SPECIFIED

OSHA PEL:800 PPM

ACGIH TLV:800 PPM; 9192

Ingred Name:CHLORODIFLUOROMETHANE

CAS:75-45-6

RTECS #:PA6390000

Fraction by Wt: 40%

Other REC Limits:NONE SPECIFIED

OSHA PEL:1000 PPM

ACGIH TLV:1000PPM; 9192

Ozone Depleting Chemical:2

=====

== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-INGESTION:NOT EXPECTED TO CAUSE ILL EFFECTS. INHALATION OF MIST MAY CAUAE IRRITATION. MINUTE AMOUNTS ASPIRATED INTO LUNGS MAY CAUSE PULMONARY INJURY. EYE: IRRITATION. SKIN: NOT NORMALLY EXPECTED TO CAUSE ILL EFFECTS. CHRONIC-PROLONGED/REPEATED SKIN CONTACT MAY CAUSE IRRITATION,DE

RMATITIS.

Explanation of Carcinogenicity:THE COMPONENTS OF THIS PRODUCT HAVE NOT SHOWN ANY EVIDENCE OF BEING CARCINOGENIC.

Effects of Overexposure:EYES/SKIN: IRRITATION. INHALATION: IRRITATION TO NOSE, THROAT AND RESPIRATORY TRACT. INGESTION: VOMITING, POSSIBLE ASPIRATION AND PNEUMONITIS.

Medical Cond Aggravated by Exposure:PERSONS WITH A SKIN DISORDER SHOULD AVOID PROLONGED CONTACT WHEN HANDLING OR USING THIS PRODUCT.

===== First Aid Measures =====

=====

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR & RESTORE BREATHING IF NECESSARY. GET MEDICAL ATTENTION. EYE : IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION: GET IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING. NOTHING BY MOUTH IF UNCONSCIOUS.

===== Fire Fighting Measures =====  
=====

Flash Point Method:COC

Flash Point:200F,93C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS. DO NOT USE DIRECT STREAM OF WATER BECAUSE PRODUCT WILL FLOAT.

===== Accidental Release Measures =====

Spill Release Procedures:MAY BURN, BUT NOT READILY IGNITABLE. WEAR RESPIRATOR AND PROTECTIVE CLOTHING. ABSORB IN INERT MATERIAL AND PLACE IN APPROPRIATE DISPOSAL CONTAINER. FLUSH AREA WITH LARGE AMOUNT OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID STORAGE NEAR OPEN FLAME OR OTHER SOURCES OF IGNITION,AND STRONG OXIDANTS.KEEP CONTAINERS CLOSED.

Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE. DO NOT PRESSURIZE, CUT, WELD OR EXPOSE TO HEAT, FLAME, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SUPPLIED-AIR RESPIRATORY PROTECTION IN CONFINED OR ENCLOSED SPACES, IF NEEDED.

Ventilation:SUFFICIENT TO MAINTAIN ATMOSPHERE BELOW TLV LIMIT.

Protective Gloves:NEOPRENE, NITRILE, OR POLYVI

NYL ALCOHOL

Eye Protection:USE CHEMICAL SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER. CHEMICALLY RESISTANT BOOTS AND APRONS RECOMMENDED.

Work Hygienic Practices:DO NOT TAKE INTERNALLY. AVOID SKIN CONTACT. WASH SKIN AFTER USING PRODUCT. DO NOT EAT, DRINK OR SMOKE IN WORK AREA.

Supplemental Safety and Health

FLAMMABLE AEROSOL PER MFR.WASH OR TAKE SHOWER IF GENERAL CONTACT OCCURS. REMOVE OIL-SOAKED CLOTHING AND LAUNDER BEFORE REUSE.

DISCARD CONTAMIN

ATED LEATHER GLOVES AND SHOES.

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:440F,227C

Vapor Pres: