View NSN Online: https://aerobasegroup.com/nsn/6850-00-181-7594

FINE ORGANICS CORP -- MEGAPOWER J.E.C. -- 6850-00-181-7594

=========== Product Identification =============

Product ID:MEGAPOWER J.E.C.

MSDS Date:07/25/1991

FSC:6850

NIIN:00-181-7594

MSDS Number: BJRBW === Responsible Party ===

Company Name: FINE ORGANICS CORP

Address: 205 MAIN ST

Box:687 City:LODI State:NJ

ZIP:07644-0687

Country:US

Info Phone Num:201-472-6800

Emergency Phone Num:800-526-7480

CAGE:05867 === Cont

ractor Identification ===

Company Name: FINE ORGANICS CORP

Address:420 KULLER RD

Box:2277 City:CLIFTON State:NJ

ZIP:07015 Country:US

Phone:973-478 1000

CAGE:05867

======= Composition/Information on Ingredients ========

Ingred Name: NAPHTHA, LIGHT AROMATIC

CAS:64742-95-6 Fraction by Wt: 54%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:100 PPM ACGIH TLV:100 PPM 9091

Ingred Name: DIETHYLENE GLYCOL MONOBUTYL ETHER

CAS:112-34-5

RTECS #:KJ9100000 Fraction by Wt: 5%

Other REC Limits: NONE EST

========== Hazards Identification ============
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:CHRONIC: REPEATED INHALATION AT ELEVATED LEVELS OF CONCENTRATION MAY EFFECT NERVOUS SYSTEM. ACUTE: HIGH VAPOR CONCENTRATIONS ARE IRRITATING TO THE EYE & RESPIRATORY TRACT AND MAY CAUSE UNCONSCIOUSNESS, MAY CAUSE IRRITATION AND/OR BURNS TO EYES. INGEST. MAY CAUSE PULMONARY INJURY IF ASPIREATED INTO LUNGS. Effects of Overexposure:SEE "HEALTH HAZARDS". Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDER.
======================================
First Aid:SKIN: WASH WITH PLENTY OF WATER. REMOVE CONTAMINATED CLOTHING; EYES: FLUSH THOROUGHLY WITH WATER AT LEAST 15 MINUTES WITHIN 1 MINUTES PERIOD OF CONTACT; INHALE: REMOVE FROM EXPOSURE. ADMINISTER ARTIFI CIAL RESPIRATION IF BREATHING HAS STOPPED; I NGEST: DO NOT INDUCE VOMITING. GIVE PLENTY OF WATER. SEEK MEDICAL
ATTENTION.
======================================
Flash Point Method:TCC Flash Point:150F/65.6C Lower Limits:0.8 Upper Limits:7.0 Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL. Fire Fighting Procedures:COOL EXPOSED DRUMS WITH WATER. FIREFIGHTERS SHOULD FOLLOW PRODEDURES FOR HYDROCARBON FIRE. Unusual Fire/Explosion Hazard:FIRE HAZARD IF EXPOSED TO HEAT OR FLAMES.
Spill Release Procedures:OUTDOORS: ADD SAND, EARTH OR OTHER ABSORBENT TO SPILL AREA. KEEP PRODUCT OUT OF SEWERS AND WATER COURSES BY DIKING OR IMPOUNDING. INSIDE: ELIMINATE ALL IGNITION SOURCES AND REMOVE WITH ABSORBENT MATER IAL.
======================================
Handling and Storage Precautions:REASONABLE CARE AND PRECAUTIONS, WHEN HANDLING THIS MATERIAL, ARE STRONGLY RECOMMENDED. REMOVE AND

LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Other Precautions: THIS CONTAINER MAY BE HAZARDOUS WHEN EMPTIED. EMPTIED CONTAINERS MAY RETAIN PRODUCT RESIDUES. OBSERVE ALL LABELED HAZARD PRECAUTIONS. USE WITH ADEQUATE VENTILATION. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: IF TLV IS EXCEEDED, USE CARTRIDGE TYPE FOR SOLVENTS. Ventilation: MECHANICAL VENTILATION. Protective Gloves: NEOPRENE GLOVES. Eve Protection:SAFETY GOGGLES. Other Prot ective Equipment: NONE STATED. Work Hygienic Practices: NONE STATED. Supplemental Safety and Health ======== Physical/Chemical Properties ============ HCC:V4 Boiling Pt:B.P. Text:212-400F Spec Gravity:0.96 Solubility in Water: COMPLETE Appearance and Odor:CLEAR YELLOW LIQUID, MILD AROMATIC ODOR. ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES NONE STATED. Stability Condition to Avoid: OPEN SPARKS AND FLAMES. us Decomposition Products: FUMES, SMOKES, CARBON MONOXIDE. ======= Disposal Considerations ============

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH 42USG3251 ET.SEQ.RCRA 1976 AND ANY LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants t

his information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.