View NSN Online: https://aerobasegroup.com/nsn/9150-00-265-9405 CROWN OIL & CHEMICAL CO. -- CUTTING FLUID NSN9150-00-265-9405 -- 9150-00-265-9405 Product ID:CUTTING FLUID NSN9150-00-265-9405 MSDS Date:11/05/1987 FSC:9150 NIIN:00-265-9405 MSDS Number: BJRDF === Responsible Party === Company Name: CROWN OIL & CHEMICAL CO. Address:759 HILL STREET Box:10692 City:JEFFERSON State:LA ZIP:70181 Country:US Info Phone Num:504-733-9133 FAX: 504-734-7255 Emergency Phone Num:504-733-9133 CAGE:0CF76 === Contractor Identification === Company Name: CROWN OIL & CHEMICAL CO. Address:751 HILL STREET Box:City:JEFFERSON State:LA ZIP:70121 Country:US Phone:504 OUT OF BUSINESS

CAGE:0CF76

======= Composition/Information on Ingredients ========

Ingred Name: THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE PRESENT IN THIS PRODUCT.

RTECS #:9999999ZZ

Other REC Limits: NONE SPECIFIED

======= Hazards

Laboratific and base	
IMANTIFICATION	

LD50 LC50 Mixture:LD50 (ORAL RAT) IS >5000 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:LIQUID MAY BE IRRITATING TO EYES.

LIQUID SHOULD NOT BE IRRITATING TO SKIN. INGESTION OF PRODUCT MAY RESULT IN VOMITING. ASPIRATION OF VOMITUS INTO LUNGS MAY CAUSE PNEUMONITIS.

- Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRA
- TIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.
- Effects of Overexposure:MAY CAUSE EYE IRRITATION. ASPIRATION PNEUMONITIS MAY CAUSE COUGHING, LABORED BREATHING, CYANOSIS, AND IN SEVERE CASES, DEATH.
- Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION IMMEDIATELY. SKIN: WASH WITH

SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. GET MEDICAL ADVICE. INHALATIO N: REMOVE TO FRESH AIR. GIVE MOUTH-TO-MOUTH RESUSCITATION IF NOT BREATHING. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH & DRINK LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION.

========== Fire Fighting Measures ==============

Flash Point Method:PMCC Flash Point:212F,100C

Extinguishing Media: USE WATER SPRAY & FOG, CARBON DIOXIDE, FOAM, OR DRY

CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

======== Accidental Release Measures ==========

Spill Release Procedures:SMALL SPILL: WIPE/SOAK UP WITH PAPER TOWEL OR INERT ABSORBENT. PUT IN DISPOSAL CONTA

DOT SALVAGE CONTAINER AND SEAL FOR DISPOSAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
============= Handling and Storage ==============
Handling and Storage Precautions:STORE IN A COOL, DRY AREA. KEEP CONTAINERS CLOSED WHEN MATERIAL IS NOT IN USE. KEEP AWAY FROM IGNITION SOURCES. AVOID PROLONGED OR REPEATED CONTACT. Other Precautions:NONE
====== Ex posure Controls/Personal Protection =========
Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:MECHANICAL(GENERAL) EXHAUST TO PROVIDE ADEQUATE VENTILATION.
Protective Gloves:NEOPRENE OR NITRILE RUBBER GLOVES Eye Protection:SAFETY GLASSES - CHEMICAL SPLASH GOGGLES Other Protective Equipment:WEAR INDUSTRIAL WORK CLOTHING. USE RUBBER APRON OR BOOTS AS REQUIRED. EYE BATH AND SAFETY SHOWER SHOULD BE AVAILABLE.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFO RE
EATING, DRINKING RO SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT INGEST. READ PRECAUTIONS ON LABEL BEFORE USE.
========= Physical/Chemical Properties ==========
HCC:V6
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:EXTREMELY HIGH

AREA. DIKE TO RETAIN RUN OFF. VACUUM UP OR PUMP FREE LIQUID INTO

INER. LARGE SPILL: VENTILATE

TEMPERATURES Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE

======= Disposal Considerations ==========

Waste Disposal Methods:DISPOSAL MUST BE MADE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.