

SOUTHWEST PETRO-CHEM DIV WITCO CHEMICAL CORP -- SE 861 3122 LUBRICATING OIL --
9150-00-270-0067

===== Product Identification =====

Product ID:SE 861 3122 LUBRICATING OIL

MSDS Date:10/07/1988

FSC:9150

NIIN:00-270-0067

MSDS Number: BJSFN

=== Responsible Party ===

Company Name:SOUTHWEST PETRO-CHEM DIV WITCO CHEMICAL CORP

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Info

Phone Num:913-782-5800

Emergency Phone Num:913-782-5800/800-424-9300(CHEMTREC)

Preparer's Name:RAY LAWSON

CAGE:70878

=== Contractor Identification ===

Company Name:EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM HYDROCARBONS

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 (OIL MIS

T)
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:UNSPECIFIED ADDITIVES
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HEALTH HAZARDS: ACUTE: NONE SPECIFIED
BY MANUFACTURER. CHRONIC: NO HEALTH HAZARD WHEN USED WITH GOOD
PERSONAL HYGIENE. MAY OTHERWISE CAUSE SKIN AND EYE IRRITATION UPON
PROLONGED O
R REPEATED CONTACT.
Explanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT
IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.
Effects of Overexposure:EYE/SKIN: IRRITATION UPON PROLONGED OR REPEATED
CONTACT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.SEE
DOCTOR. SKIN:REMOVE EXCESS WITH CLOTH OR PAPER.WASH THOROUGH
HLY WITH
SOAP AND WATER. INHALATION:REMOVE VICTIM TO FRESH AIR. INGESTION:DO
NOT INDUCE VOMIT.SEE DOCTOR IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:326F,163C
Autoignition Temp:Autoignition Temp Text:UNKNON
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE
AREA. COOL
FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS, DENSE SMOKE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE PERSONNEL.ELIMINATE IGNITION
SOURCES. VENTILATE AREA.WEAR PROTECTIVE CLOTHING AND
EQUIPMENT.ABSORB IN INERT MATERIAL AND PLACE IN APPROPRIATE DISPOSAL
CONTAINER AND COVER.

=====
===== Hand

ling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT, IGNITION SOURCES AND INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED.

Other Precautions:AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NO SPECIAL REQUIREMENT.

Protective Gloves:NONE.

Eye Protection:CHEMICAL

SAFETY GOGGLES AND FACESHIELD.

Other Protective Equipment:NONE.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

NONE.

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.9

Viscosity:>100 SUS

Solubility in Water:NEGLIGIBLE

Appearance and Odor:OILY LIQUID. AMBER COLOR, MINERAL OIL ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS SUCH AS HYDROGEN PEROXIDE, BROMINE, AND CHROMIC ACID.

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, SULFUR OXIDES, NITROGEN OXIDES, HYDROGEN SULFIDE, HYDROGEN CHLORIDE, CHLOROCARBONS.

===== Disposal Considerations =====

Waste Disposal Methods:CONTACT YOUR LOCAL ENVIRONMENTAL OFF

ICER.

DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assess

assume responsibility for the suitability of this information to their particular situation.