

TEAM LABORATORY CHEMICAL CORPORATION -- TEAM 504 OVEN CLEANER (AEROSOL) --
4940-01-063-7000

===== Product Identification =====

Product ID:TEAM 504 OVEN CLEANER (AEROSOL)
MSDS Date:01/01/1987
FSC:4940
NIIN:01-063-7000
MSDS Number: BJWBZ
=== Responsible Party ===
Company Name:TEAM LABORATORY CHEMICAL CORPORATION
Address:323 SOUTH 22ND ST.
Box:1351
City:BISMARCK
State:MD
ZIP:58502
Info Phone Num:(701) 255-3796
Emergency Phone Num:(701) 255-3796
CAGE:37912
=== Contractor Identification ===
Company Name:TEAM LAB CHEM CORP
Address:323 SOUTH 22ND ST.
Box:1351
City:BISMARCK
State:ND
ZIP:58502
Country:US
Phone:701-255-3796
CAGE:39712
Company Name:TEAM LABORATORY CHEMICAL CORPORATION
Address:323 SOUTH 22ND ST.
Box:1351
City:BISMARCK
State:ND
ZIP:58502
Phone:(701) 255-3796
CAGE:37912

===== Composition/Information on Ingredients =====

Ingred Name:AMMONIUM HYDROXIDE (SARA III)
CAS:1336-21-6

RTECS #:BQ9625000
Fraction by Wt: 0.5%
Other REC Limits:25 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM HYDROXIDE (SARA III)
CAS:1310-73-2
RTECS #:WB4900000
Fraction by Wt: 8%
Other REC Limits:2MG/M3 CEILING NIOSH
OSHA PEL:2 MG/M3
ACGIH TLV:C 2 MG/M3; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

==== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: BREATHING DIFFICULT,
RESPIRATORY TRACT. EYES: STINGING.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: BREATHING DIFFICULT, RESPIRATORY
TRACT. EYES: STINGING.

==== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. SKIN/EYES: FLUSH W/WATER FOR
15 MINUTES. INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASES.

==== Fire Fighting Measures =====
=====

Flash Point Method:TOC
Flash Point:>150F
Extinguishing Media:WATER

==== Accidental Release Measures =====

Spill Release Procedures:FLUSH W/WATER.

==== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE AT TEMPS >120F.

==== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE AS LONG AS NOT USED IN SMALL ENCLOSED AREA.
Ventilation:LOCAL EXHAUST VENTIL

PROTECTION IS ADEQUATE
Protective Gloves:RUBBER
Eye Protection:GOGGLES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Pres:80 PSIG
Spec Gravity:1.06
Evaporation Rate & Reference:(WATER = 1): 1
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR TO LIGHT YELLOW LIQUID PUNGENT ODOR
Percent Volatiles by Volume:85%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Stability C
Condition to Avoid:DON'T EXPOSE CAN TO HEAT OR TEMPS >120F

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, &
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.