View NSN Online: https://aerobasegroup.com/nsn/7930-00-205-2870

MASURY COLUMBIA COMPANY -- WAX, FLOOR, WATER-EMULSION TYPE -- 7930-00-205-2870

Product ID:WAX, FLOOR, WATER-EMULSION TYPE MSDS Date:11/23/1988 FSC:7930 NIIN:00-205-2870 MSDS Number: BJXHZ === Responsible Party === Company Name: MASURY COLUMBIA COMPANY Address:1140 EAST 103RD STREET City:CHICAGO State:IL ZIP:60628 Country:US Info Phone Num:312-468-1288 Emergency P hone Num:312-468-1288 Preparer's Name: J. P. GODINEZ CAGE:03256 === Contractor Identification === Company Name: MASURY COLUMBIA COMPANY Address:1140 EAST 103RD STREET Box:City:CHICAGO State:IL ZIP:60628 Country:US Phone:312-468-1288 CAGE:03256 Ingred Name:WATER

CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 81% Other REC Limits:NONE SPECIFIED

Ingred Name:POLYESTER RESIN Fraction by Wt: 3.0% Other REC Limits:NONE SPECIFIED

In

gred Name:POLYETHYLENE WAX CAS:68441-17-8 Fraction by Wt: 12.2% Other REC Limits:NONE SPECIFIED

Ingred Name:TALL OIL FATTY ACID CAS:8002-26-4 Fraction by Wt: 0.7% Other REC Limits:NONE SPECIFIED

Ingred Name:2-PHENYLPHENOL (SARA III) CAS:90-43-7 RTECS #:DV5775000 Fraction by Wt: 0.03% Other REC Limits:NONE SPECIFIED

Ingred Name:2,6-DI-TERT-BUTYL-P-CRESOL CAS:128-37-0 RTECS #:GO7875000 Fraction by Wt: 0.03% Other REC Limits:NONE SPECIFIED OSHA PEL:10 MG/M3 ACGIH TLV:10 MG/M3; 9192

Ingred Name :ZINC OCTOATE Fraction by Wt: 0.1% Other REC Limits:NONE SPECIFIED

Ingred Name:2-DIETHYLAMINOETHANOL CAS:100-37-8 RTECS #:KK5075000 Fraction by Wt: 1.3% Other REC Limits:10 PPM TLV OSHA PEL:S, 10 PPM ACGIH TLV:S, 10 PPM; 9192

Ingred Name:TRIBUTOXYETHYL PHOSPHATE CAS:78-51-3 RTECS #:KJ9800000 Fraction by Wt: 0.3% Other REC Limits:NONE SPECIFIED

Ingred Name:AMMONIUM HYDROXIDE (SARA III) CAS:1336-21-6 RTECS #:BQ9625000 Fraction by Wt: 0.6% Other REC Limits:25 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty

	1	$\cap \cap$	\cap	LBS
•	1	UU	U	LDS

======================================
Health Hazards Acute and Chronic:SKIN AND EYES: POSSIBLE IRRITATION. INGESTION: POSSIBLE NAUSEA.
======================================
First Aid:SKIN AND EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES, CALL PHYSICIAN IF IRRITATION PERSISTS. INGESTION; GIVE MILK OR WATER TO DRINK AND CALL PHYSICIAN.
======================================
Fla sh Point:NONE Extinguishing Media:WATER, FOAM, CO2, DRY CHEMICAL. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:FLOOR MAY BE SLIPPERY, USE CAUTION TO AVOID FALLS. FLUSH AREA WITH WATER AND TAKE UP WITH WET VACUUM, FLUSH AND TAKE UP AGAIN.
======================================
Handling and Storage Precautions: DO NOT STORE AT TEMPERATURES ABOVE
120F OR BELOW 35F.
======================================
Respiratory Protection:NONE REQUIRED. Ventilation:NORMAL VENTILATION. Protective Gloves:OPTIONAL. Eye Protection:OPTIONAL. Other Protective Equipment:NONE REQUIRED. Work Hygienic Practices:USE NORMAL INDUSTRIAL HYGIENE PRACTICES. KEEP OUT OF REACH OF CHILDREN. Supplemental Safety and Health
======================================
HCC:N1 Boiling Pt:B.P. Text:212F,100C Mel

t/Freeze Pt:M.P/F.P Text:32.0F,0.0C Vapor Pres:20 Spec Gravity:1.01 pH:9.-9.7 Solubility in Water:SOLUBLE Appearance and Odor:OFF-WHITE TO TAN MILKY EMULSION, WAXY ODOR Percent Volatiles by Volume:84

Stability Indicator/Materials to Avoid:YES

Waste Disposal Methods:FOLLOW ALL FEDERAL, STATE AND LOCAL REGULATIONS. MAY BE SOLIDIFIED AND LANDFILLED OR USED IN SUPPLEMENTAL FUELS PROGRAM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this info rmation to their particular situation.