View NSN Online: https://aerobasegroup.com/nsn/7930-00-266-7135

Product ID:SILVER METAL POLISH

MSDS Date:01/01/1987

FSC:7930

NIIN:00-266-7135

MSDS Number: BJXKN === Responsible Party ===

Company Name: DIHOMA CHEMICAL & MFG., INC.

Address:RT. 3

Box:375

City:MULLINS

State:SC ZIP:29574 Country:US

Info Phone Num:803-423-7799

Emergency Phone Num:803-423-7799

С

AGE:0FMP6

=== Contractor Identification ===

Company Name: DIHOMA CHEMICAL & MFG INC

Address:RT 3 Box:City:MULLINS

State:SC ZIP:29574 Country:US

Phone:803-423-7799

CAGE:0FMP6

======= Composition/Information on Ingredients ========

Ingred Name:350 CST. SILICONE

Fraction by Wt: 1-5%

Other REC Limits: NONE SPECIFIED

Ingred Name: DOW CORNING 20 RELEASE

Fraction by Wt: 1-4%

Other REC Limits: NONE SPECIFIED

Ingred Name: STODDARD SOLVENT 66-3

Fraction by Wt: 20%

Other REC Limits: NONE SPECIFI

Ingred Name:LAURIC ACID 96%

CAS:143-07-7

RTECS #:OE9800000 Fraction by Wt: 2%

Other REC Limits: NONE SPECIFIED

Ingred Name: MORPHOLINE

Fraction by Wt: 1%

Other REC Limits: NONE SPECIFIED

Ingred Name: AMMONIUM HYDROXIDE (SARA III)

CAS:1336-21-6

RTECS #:BQ9625000 Fraction by Wt: 1%

Other REC Limits: NONE SPECIFIED

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:SOLVENT "WATER"

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 56-60%

Other REC Limits: NONE SPECIFIED

Ingred Name: CARBOPOL 934

С

AS:9003-01-4

RTECS #:AT4680000 Fraction by Wt: 0.2%

Other REC Limits: NONE SPECIFIED

Ingred Name: SNOW FLOSS

Fraction by Wt: 14.0%

Other REC Limits: NONE SPECIFIED

========== Hazards Identification ===========================

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Health Hazards Acute and Chronic: INGESTION: MAY CAUSE NAUSEA AND

VOMITING. EYE CONTACT: POSSIBLY IRRITATING TO EYES.

First Aid:INGESTION:

OBTAIN MEDICAL ATTENTION. SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. EYE: WASH EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. G ET MEDICAL ATTENTION IF REQUIRED. Flash Point Method:TOC Flash Point:NA Extinguishing Media: USE WATER, FOAM, CARBON DIOXIDE OR DRY CHEMICAL TO EXTINGUISH FIRE. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATU S WHILE EXTINGUISHING ALL CHEMICAL FIRES. Unusual Fire/Explosion Hazard:PRODUCT IS NON-FLAMMABLE AS SUPPLIED. DO NOT DEPEND ON AMBIENT AIR SUPPLY DURING FIRES. ========= Accidental Release Measures ============== Spill Release Procedures: SOAK UP SPILLS WITH ABSORBENT MATERIAL AND SCOOP INTO DRUMS. ============ Handling and Storage =========================== Other Precautions: THE FLOOR MAY BE SLIPPERY, USE CAUTION TO AVOID FALLS. ====== Exposure Controls/Personal Protection ======== Supplemental Safety and Health ========= Physical/Chemical Properties =========== HCC:N1 Boiling Pt:B.P. Text:>212F,>100C Spec Gravity:1.01 pH:8.5* Evaporation Rate & Dr. Reference: 2 TO 1 (N/K) Solubility in Water:SLIGHT Appearance and Odor:BROWN THICK LIQUID WITH SLIGHT AMMONIA ODOR. Percent Volatiles by Volume:79 Corrosion Rate:*+/-.5 ======== Stability and Reactivity Data ========== Stability Indicator/Mater

DILUTE BY DRINKING COPIOUS AMOUNTS OF WATER AND

ials to Avoid:YES
MINERAL ACIDS SUCH AS SULFURIC, NITRIC AND HYDROCHLORIC.
Stability Condition to Avoid:NONE KNOWN.
Hazardous Decomposition Products:FIRE MAY RESULT INTO RELEASE OF TOXIC GASES SUCH AS OXIDES OF CARBON, NITROGEN AND SULFUR.

======= Disposal Considerations ===========

Waste Disposal Methods: FOLLOW ALL FEDERAL, STATE AND LOCAL REGULATIONS. DO NOT DISCHARGE INTO LAKES AND STREAMS.

Disclaimer (provided with this information by the compiling agencie s):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.