

HUSK-ITT CORP -- MOLYPASTE 60 -- 9150-00-531-7854

=====
Product Identification
=====

Product ID:MOLYPASTE 60
MSDS Date:04/01/1993
FSC:9150
NIIN:00-531-7854
MSDS Number: BJXMK
=== Responsible Party ===
Company Name:HUSK-ITT CORP
Address:1247 HILL STREET
City:SIGNAL HILL
State:CA
ZIP:90806-3523
Country:US
Info Phone Num:213-426-1785
Emergency Phone Num:213-426-1785/800-424-9300(CHEMTREC)
CAGE:65539

=== Contractor Identification ===

Company Name:HUSK-ITT CORP
Address:1247 HILL STREET
Box:City:SIGNAL HILL
State:CA
ZIP:90806-3523
Country:US
Phone:213-426-1785
CAGE:65539
Company Name:PACIFIC ENGINEERING AND INDUSTRIAL SUPPLY INC
Address:840 W 1700 S
Box:City:SALT LAKE CITY
State:UT
ZIP:84104-1735
Country:US
Phone:801-974-5940
CAGE:1FJ69

=====
Composition/Information on Ingredients
=====

Ingred Name:MOLYBDENUM DISULFIDE
CAS:1317-33-5
RTECS #:QA4697000
Fraction by Wt: 60-62%

Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY
PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 15-20%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:HYDROTREATED HEAVY NAPHTHENIC DISTILLATE, PETROLEUM

CAS:64742-52-5

RTECS #:PY8035000

Fraction by Wt: 10-14%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:LITHIUM

12 HYDROXYSTEARATE

CAS:7620-77-1

Fraction by Wt: 3-6%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ADDITIVES, PROPIETARY

Fraction by Wt: 1-2%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NO KNOWN HEALTH HAZARDS REPORTED AT
THIS TIME IN REFERENCE LITERATURE OR FIELD USAGE. PRODUCT INJECTED

UNDER SKIN MAY CAUSE NECROSIS IF NOT TREATED PROMPTLY.

Effects of Overexposure:MAY CAUSE SKIN IRRITATION ON SENSITIVE SKIN.

Medical Cond Aggravated by Exposure:NONE.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER. IF IRRITATION PERSISTS, SEE
DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTION: TREAT AS OIL
INGESTION. SEE DOCTOR. --IF PRODUCT IS INJECTED UNDER THE SKIN,
SEE DOCTOR IMMEDIATELY REGARDLESS OF APPEARANCE O

R SIZE. THIS IS A
SERIOUS MEDICAL EMERGENCY--

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:380F,193C

Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY. TREAT AS OIL FIRE.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE
HAZARD

OUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP GREASE. WASH REMAINDER WITH SUITABLE
PETROLEUM SOLVENT. ABSORB IN INERT MATERIAL AND PLACE IN APPROPRIATE
DISPOSAL CONTAINER AND COVER. WASH AREA WITH SOAP AND WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED,
LOW FIRE RISK AREA. PROTECT FROM HEAT,
OPEN FLAMES AND INCOMPATIBLE
MATERIALS. KEEP CONTAINERS CLOSED.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED.

Ventilation:GENERAL (MECHANICAL) VENTILATION.

Protective Gloves:NITRILE, PVA.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:OIL RESISTANT APRON.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. LAUNDER
CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

N

ONE.

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:1.8

Solubility in Water:NEGLIGIBLE

Appearance and Odor:DARK PASTE LIKE MATERIAL. NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES, ARC WELDING AND
OTHER SOURCES OF IGNITION

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
METALLIC
OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER. KEEP
IN COVERED CONTAINERS PENDING DISPOSAL. DISPOSE OF IN ACCORDANCE
WITH FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.
MANUFACTURER RECOMMENDS LANDFILL OR INCINERATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United

States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.