

SHERWIN-WILLIAMS COMPANY -- TINTING COLOR, ORANGE -- 8010-00-537-6903

=====  
Product Identification  
=====

Product ID:TINTING COLOR, ORANGE

MSDS Date:04/04/1988

FSC:8010

NIIN:00-537-6903

MSDS Number: BJXML

=== Responsible Party ===

Company Name:SHERWIN-WILLIAMS COMPANY

Address:101 PROSPECT AVE N W

City:CLEVELAND

State:OH

ZIP:44115-1042

Country:US

Info Phone Num:216-566-2902

Emergency Phone Num:216-

566-2917

CAGE:54636

=== Contractor Identification ===

Company Name:SHERWIN-WILLIAMS CO THE

Address:101 PROSPECT AVE NW

Box:City:CLEVELAND

State:OH

ZIP:44115-1042

Country:US

Phone:800-251-2486/216-566-2242

CAGE:54636

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HEXYLENE GLYCOL

CAS:107-41-5

RTECS #:SA0810000

Fraction by Wt: 1-60%

Other REC Limits:NONE SPECIFIED

OSHA PEL:C 25 PPM

ACGIH TLV:C 25 PPM; 9192

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Fraction by Wt: 10%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:3.5 MG/M3  
ACGIH TLV:3.5 MG/M3; 9192

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:IRRITATION OF EYES, SKIN & UPPER  
RESPIRATORY SYSTEM. IN A CONFINED AREA VAPORS IN HIGH CONCENTRATION  
MAY CAUSE HEADACHE, NAUSEA OR DIZZINESS.  
Explanation of Carcinogenicity:NO INGR  
EDIENT IN THIS PRODUCT IS AN  
IARC, NTP OR OSHA LISTED CARCINOGEN.  
Effects of Overexposure:REDNESS & ITCHING OR BURNING SENSATION MAY  
INDICATE EYE OR EXCESSIVE SKIN EXPOSURE.  
Medical Cond Aggravated by Exposure:NONE GENERALLY RECOGNIZED

=====  
First Aid Measures  
=====

First Aid:INHALED:IF AFFECTED, REMOVE FROM EXPOSURE. RESTORE BREATHING.  
KEEP WARM & QUIET. SKIN:WASH AFFECTED AREA THOROUGHLY WITH SOAP &  
WATER. REMOVE CONTAMINATED CLOTHING & L  
AUNDER BEFORE RE-USE.  
EYES:FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15MINUTES. GET  
MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point Method:PMCC  
Flash Point:>199 F/>93 C  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
Fire Fighting Procedures:FULL PROTECTIVE EQUIPMENT INCLUDING SCBA. FOG  
NOZZLES PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO  
PREVENT PRESSURE BUILD-UP/AUTO-IGNITE/EXPLOSION  
Unusual Fire/Explo  
sion Hazard:CLOSED CONTAINERS MAY EXPLODE (DUE TO THE  
BUILD-UP OF PRESSURE) WHEN EXPOSED TO EXTREME HEAT.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE &  
REMOVE WITH INERT ABSORBENT.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE.  
TRANSFER ONLY TO APPROVED CONTAINERS WITH COMPLETE & APPROPRIATE  
LAB

ELS. DO NOT TAKE INTERNALLY.

Other Precautions:KEEP OUT OF THE REACH OF CHILDREN. USE ONLY WITH ADEQUATE VENTILATION. AVOID BREATHING VAPOR & SPRAY MIST. AVOID CONTACT WITH SKIN & EYES. WASH HANDS AFTER USING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION. WEAR PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH/MSHA FOR PROTECTION

AGAINST MATERIAL.

Ventilation:LOCAL EXHAUST PREFERABLE. GENERAL ACCEPTABLE IF EXPOSURE TO MATERIAL IS MAINTAINED BELOW APPLICABLE EXPOSURE LIMITS

Protective Gloves:WEAR GLOVES RECOMMENDED BY SUPPLIER

Eye Protection:SAFETY GLASSES W/UNPERFORATED SIDESHIELD

Work Hygienic Practices:WASH HANDS AFTER USING.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:386F,197C

Vapor Density:> THAN AIR

Evaporation Rate & Reference:

SLOWER THAN ETHER

Percent Volatiles by Volume:2-73

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:BY FIRE:CARBON DIOXIDE & CARBON MONOXIDE.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:WASTE IS NOT HAZARDOUS AS DEFINED UNDER RESOURCES CONSERVATION & RECOVERY ACT (RCRA) 40 CFR 261. INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED C

ONTAINER. DISPOSE

OF IN ACCORDANCE W/FEDERAL , STATE & LOCAL REGULATIONS REGARDING POLLUTION

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to

verify and  
assume responsibility for the suitability of this information to their  
particular situation.