

AMERICAN BRAIDING AND MFG CORP -- 340, 340BIL -- 5330-00-618-3221

=====  
Product Identification  
=====

Product ID:340, 340BIL

MSDS Date:01/01/1991

FSC:5330

NIIN:00-618-3221

MSDS Number: BJXMZ

=== Responsible Party ===

Company Name:AMERICAN BRAIDING AND MFG CORP

Address:RT 79 AND BEACON HILL RD

Box:397

City:MORGANVILLE

State:NJ

ZIP:07751

Country:US

Info Phone Num:201-591-0725

Emergency Phone Num:201

-591-0725

CAGE:4R345

=== Contractor Identification ===

Company Name:AMERICAN BRAIDING AND MFG CORP

Address:247 OLD TAVERN ROAD

Box:City:HOWELL

State:NJ

ZIP:07731

Country:US

Phone:732-938-6333 ...FAX 6377

CAGE:4R345

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ASBESTOS, CHRYSOTILE

CAS:12001-29-5

RTECS #:CI6478500

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:2 FIBERS/CC,A1; 9495

Ingred Name:TEFLON (TETRAFLUORO ETHYLENE POLYMER)

CAS:116

-14-3  
RTECS #:KX4025000  
Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:EXPOSURE TO PTFE FUMES ABOVE 500F CAN  
CAUSE TEMPORARY FLU LIKE SYMPTOMS.  
Explanation of Carcinogenicity:NTP:KNOWN TO BE CARCINOGENIC.  
IARC:SUFFICIENT EVIDENCE THAT THE AGENT IS CARCINOGENIC TO HUMANS.  
OSHA:CARCINOGE  
N.  
Effects of Overexposure:NONE IMMEDIATE. LONG TERM EXPOSURE TO ASBESTOS  
CAN CAUSE MESOTHELIOMA (A LUNG DISEASE).  
Medical Cond Aggravated by Exposure:RESPIRATORY DISEASE.NONE SPECIFIED  
BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:NONE SPECIFIED BY MANUFACTURER.

=====  
Fire Fighting Measures  
=====

Flash Point:NON-FLAMMABLE  
Extinguishing Media:SOME OIL MAY SEEP FROM THIS MATERIAL SO USE THE  
APPROPR  
IATE EXTINGUISHING MATERIAL.  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:NORMAL CLEANUP.  
Neutralizing Agent:NONE

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NONE  
Other Precautions:AVOID CREATING DUST AND FUMES.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:SELECT APPROPRIATE RE

RESPIRATORY PROTECTION FROM

TABLE I OF 1910.1001 BASED ON EMPLOYEE EXPOSURE.

Ventilation:NONE

Protective Gloves:NONE

Eye Protection:NONE

Other Protective Equipment:NONE

Work Hygienic Practices:AVOID CREATING DUST AND FUMES.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:T6

Spec Gravity:1.5

Solubility in Water:INSOLUBLE

Appearance and Odor:WHITE TO GRAYISH SHINY ROPE.

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS AND ALKALIES.

Stability Condition to Avoid:AVOID TEMPERATURES EXCEEDING 600F.

Hazardous Decomposition Products:TETRAFLUOROETHYLENE FROM 800F,  
HEXAFLUOROPROPYLENE FROM 850F AND CARBONYL FLUORIDE FROM 930F.

===== Disposal Considerations =====

Waste Disposal Methods:AS REQUIRED BY STATE, FEDERAL AND LOCAL  
AGENCIES.

Disclaimer (provided with this information by the compiling agencies):

This inf

ormation is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.