View NSN Online: https://aerobasegroup.com/nsn/5330-00-618-3222

AMERICAN BRAIDING AND MFG CORP -- 340, 340BIL, MIL-P-24377A, PACKING MATERIAL -5330-00-618-3222

Product ID:340, 340BIL, MIL-P-24377A, PACKING MATERIAL MSDS Date:01/03/1991 FSC:5330 NIIN:00-618-3222 MSDS Number: BJXNB === Responsible Party === Company Name: AMERICAN BRAIDING AND MFG CORP Address:247 OLD TAVERN ROAD Box:397 City:HOWELL State:NJ ZIP:07731 Country: US Info Phone Num:201-591-0725 Emergency Phone Num:908-938-6333 CAGE:4R345 === Contractor Identification === Company Name: AMERICAN BRAIDING AND MFG CORP Address:247 OLD TAVERN ROAD Box:City:HOWELL State:NJ ZIP:07731 Country:US Phone:732-938-6333 ... FAX 6377 CAGE:4R345

Ingred Name:ASBESTOS, CHRYSOTILE CAS:12001-29-5 RTECS #:CI6478500 Other REC Limits:NONE RECOMMENDED OSHA PEL:0.2 FIBERS/CC ACGIH TLV:2 FIBERS/CC,A1; 9495

Ing

red Name:TEFLON (TETRAFLUORO ETHYLENE POLYMER) CAS:116-14-3 RTECS #:KX4025000 Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic: EXPOSURE TO PTFE FUMES ABOVE 500F CAN CAUSE TEMPORARY FLU LIKE SYMPTOMS Explanation of Carcinogenicity: CLASSIFIED AS A H UMAN CARCINOGEN BY NTP AND OSHA AND "1A" BY IARC. Effects of Overexposure: USUALLY NO IMMEDIATE SYMPTOMS. LONG TERM EXPOSURE TO ASBESTOS CAN CAUSE MESOTHELIOMA (A LUNG DISEASE), LUNG CANCER. Medical Cond Aggravated by Exposure: PRE-EXISTING RESPIRATORY DISEASE MAY BE AGGRAVATED BY EXPOSURE. First Aid:REMOVE TO FRESH AIR IF EXPOSED TO PTFE FUMES. == Flash Point:NONFLAMMABLE Lower Limits:NONFLAMMABLE Upper Limits:NONFLAMMABLE Extinguishing Media:NONFLAMMABLE. USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: USE PROCEDURES SUITABLE FOR SURROUNDING FIRE. Unusual Fire/Explosion Hazard:SOME OIL MAY WEEP FROM FINISHED PRODUCT.

Spill Release Procedures:NORMAL CLEANUP. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

====== Handling

Handling and Storage Precautions: AVOID PHYSICAL DAMAGE. Other Precautions: AVOID CREATING DUST AND FUMES.

Respiratory Protection:SELECT APPROPRIATE RESPIRATORY PROTECTION FROM TABLE I OF 1910.1001 BASED ON EMPLOYEE EXPOSURE. Ventilation:GENERAL (MECHANICAL) VENTILATION SHOULD BE ADEQUATE. Protective Gloves:NOT NORMALLY REQUIRED Eye Protection:SAFETY GLASSES Other Protective Equipment:NOT NORMALLY REQUIRED. Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING. Supplemental Safety and Health ASBESTOS IS BOUND IN PACKING MATERIAL AND SHOULD NOT BE A HAZARD UNLESS PRODUCT IS PHYSICALLY DAMAGED.

## HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:1.5 Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:INSOLUBLE Appearance and Odor:WHITE TO GREYISH SHINEY ROPE Percent Volatiles by Volume:0 %

Stability Indicator/Materials to Avoid:YES STRONG ACIDS AND ALKALIES Stability Condition to Avoid:TEMPERATURES ABOVE 600F Hazardous Decomposition Products:TETRAFLUORETHYLENE FORM 800F, HEXAFLUOROPROPYLENE FROM 850F AND CARBONYL FLUORIDE 930F

====== Disposal Considerations

\_\_\_\_\_

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek co mpetent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.