Product ID:CARBON DIOXIDE EXTINGUISHANT MSDS Date:03/20/1989 FSC:4210 NIIN:01-095-3771 MSDS Number: BJXRJ === Responsible Party === Company Name: KIDDE INC Address:1394 S. THIRD STREET City:MEBANE State:NC ZIP:27302 Country:US Info Phone Num:919-556-6811 Emergency Phone Num:919-556-6811 CAGE:MO903 === Contractor Identification === Company Name: CARDOX, DIVISION OF CHEMTRON Address:5230 S EAST AVENUE Box:City:COUNTRYSIDE State:IL ZIP:60525 Country:US Phone:312-482-8400 CAGE:1GY42 Company Name: DRIVE LINE INC Address:5050 N HIATUS RD Box:City:SUNRISE State:FL ZIP:33351 Country:US Phone:305-572-2821 CAGE:0GE52 Company Name: KIDDE INC Address:1394 S. THIRD STREET Box:City:MEBANE State:NC ZIP:27302 Country:US Phone:919-556-6811 CAGE:MO903 Company Name: WALTER KIDDE DIV, KIDDE INC. Address:1349 SOUTH T

HIRD ST. Box:City:MELBANE State:NC ZIP:27302 Country:US Phone:919-556-6811 CAGE:61649 Company Name:WALTER KIDDE, DIVISION OF KIDDE INC Address:1394 S THIRD STREET Box:City:MEBANE Phone:919-563-5911 CAGE:3U288

Ingred Name:CARBON DIOXIDE CAS:124-38-9 RTECS #:FF6400000 Fraction by Wt: 100% % Other REC Limits:NONE SPECIFIED OSHA PEL:5000 PPM ACGIH TLV:5000PPM/30000STEL;93

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EXPOSURE TO HIGH CONCENTRATIONS CAN PARALYZE THE RESPIRATORY CENTER. INCREASED INHALATION WILL CAUSE INCREASED BREATHING RATE. UNCONCIOUSNESS AND DEATH MAY RESULT. Effects of Overexposure:HEADACHE,DIZZINESS,RINGING OF THE EAR,INCREASED RESPIRATORY RATE,DIFFICULT BREATHING,DROWSINESS Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:TREAT AREA EXPOSED TO SOLID OR LIQUID AS FROSTBITE. CONSULT A PHYSICIAN. MOVE TO AN AREA WITH FRESH AIR OR OXYGEN.

Flash Point:NONE Extinguishing Media:THIS MATERIAL IS AN EXTINGUISHING AGENT. Fire Fighting Procedures:NONE STATED. Unusual Fire/Explosion Hazard:NONE STATED.

=================== Accidental Release Measures ==

\_\_\_\_\_

Spill Release Procedures: RELEASED GAS WILL DISSIPATE RAPIDLY AND HARMLISSLY TO ATMOSPHERE, IN OPEN AREAS. FOR CONFINED AREAS, MOVE ALL PERSONNEL AND VENTILATE AREA. VENT TO ATMOSPHERE IN OPEN AREA.

Handling and Storage Precautions:STORE AWAY FROM DIRECT HEAT FLAME. Other Precautions:NONE

Respiratory Protection:USE SELF-CONTAINED BRE ATHING APPARATUS OR AIRLINE RESPIRATORS WHEN CARBON DIOXIDE HAS BEEN RELEASED AND HAS DIMINISHED THE OXYGEN CONTENT BELOW 19%. Ventilation:MECHANICAL AND LOCAL EXHAUST ARE RECOMMENDED. Protective Gloves:INSULATED WHEN HANDLING LIQUID OR SOLID. Eye Protection:SAFETY GLASSES. Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:HANDLE CYLINDERS WITH CARE. Supplemental Safety and Health MSDS PREPARED BY DGSC-SSH FOR PURE CHEMICAL. KIDDE COULD NOT BE REACHE

D TO SUPPLY A MATERIAL SAFETY DATA SHEET.

HCC:G3 Boiling Pt:B.P. Text:-109F/-78C Vapor Pres:GAS Spec Gravity:1.53 Solubility in Water:SLIGHT Appearance and Odor:COLORLESS,ODORLESS GAS Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH LIQUID OR SOLID WILL CAUSE BURNS,FROSTBITE, OR BLINDNESS. Stability Condition

## to Avoid:NONE Hazardous Decomposition Products:NONE

Waste Disposal Methods:RELEASE TO ATMOSPHERE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person uti lizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.