

BATTENFELD GREASE AND OIL CORP OF NEW YORK INC. -- LUBRICATING OIL -- 9150-00-231-6689
===== Product Identification =====

Product ID:LUBRICATING OIL

MSDS Date:11/01/1990

FSC:9150

NIIN:00-231-6689

MSDS Number: BJXWT

=== Responsible Party ===

Company Name:BATTENFELD GREASE AND OIL CORP OF NEW YORK INC.

Address:1174 ERIE AVE

Box:728

City:NORTH TONAWANDA

State:NY

ZIP:14120-3036

Country:US

Info Phone

Num:716-695-2100

Emergency Phone Num:716-695-2100

Preparer's Name:THOMAS G. MUSILLI

CAGE:EO110

=== Contractor Identification ===

Company Name:BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

Address:1174 ERIE AVE

Box:728

City:NORTH TONAWANDA

State:NY

ZIP:14120-3036

Country:US

Phone:716-695-2100

CAGE:60226

Company Name:BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

Address:1174 ERIE AVE

Box:728

City:NORTH TONAWANDA

State:NY

ZIP:14120-3036

Country:US

Phone:716-695-2100

CAGE:EO110

===== Com

position/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED LIGHT
NAPHTHENIC

CAS:64742-53-6

RTECS #:PY8036000

Fraction by Wt: 92% %

Other REC Limits:NONE SPECIFIED

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:2,6-DI-TERT-BUTYL-P-CRESOL

CAS:128-37-0

RTECS #:GO7875000

Fraction by Wt: 0.5% %

Other REC Limits:NONE SPECIFIED

OSHA PEL:10 MG/M3

ACGIH TLV:10 MG/M3; 9192

Ingred Name:OCTYLPHENOXYPOLYETHOXYPOLYPROPOXY PROPANOL

CAS:70955-69-0

Fraction b

y Wt: 0.5% %

Other REC Limits:NONE SPECIFIED

Ingred Name:REFINED HEAVY PARAFFINIC DISTILLATES

CAS:64741-88-4

Fraction by Wt: 1.0% %

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:ALOX 2201E

Fraction by Wt: 6.0% %

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenici

ty:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MILD EYE IRRITATION. MILD SKIN IRRITATION

Explanation of Carcinogenicity:PRODUCT CONTAINS NO MATERIALS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Effects of Overexposure:MILD IRRITATION TO SKIN AND/OR EYES.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN CONDITIONS MAY BE AGGRAVATED BY EXPOSURE.

=====
===== First Aid Measures =====

First Aid:IN CASE OF INGESTION, DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. IN CASE OF SKIN CONTACT, FLUSH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. IN CASE OF EYE CONTACT, FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:380F,193C
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM, EARTH OR SAND
Fire Fighting Procedures:WATER MAY CAUSE FROTHING
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH SAND OR INERT MATERIAL. SWEEP OR SCOOP UP AND REMOVE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP AWAY FROM SPARKS AND OPEN FLAMES.
Other Precaut

ions:DO NOT GET IN EYES OR ON CLOTHING. LAUNDER
CONTAMINATED CLOTHING BEFORE REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED.
Ventilation:USE WITH ADEQUATE VENTILATION.
Protective Gloves:NEOPRENE, POLYETHYLENE
Eye Protection:FACE SHIELD
Other Protective Equipment:EYEWASH, EMERGENCY SHOWER
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
DO NOT GET IN EYES OR ON CLOTHING.

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:600F,316C
Melt/Freeze Pt:M.P/F.P Text:-70F,-57C
Spec Gravity:0.90
Evaporation Rate & Reference:NONE
Solubility in Water:NEGLIGIBLE
Appearance and Odor:AMBER OIL, BLAND ODOR
Percent Volatiles by Volume:0 %

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS
Stability Condition to Avoid:OPEN FLAMES
Hazardous Decomposition Product
s:OXIDES OF CARBON AND SULFUR

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR RECYCLE IN ACCORDANCE WITH ALL
APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.