

ALNOR OIL COMPANY -- CASTOR OIL 1/PALE PRESSED CASTOR OIL -- 9150-00-270-0047

=====
Product Identification
=====

Product ID:CASTOR OIL 1/PALE PRESSED CASTOR OIL

MSDS Date:04/08/1992

FSC:9150

NIIN:00-270-0047

MSDS Number: BJYGR

=== Responsible Party ===

Company Name:ALNOR OIL COMPANY

Address:70 EAST SUNRISE HIGHWAY

City:VALLEY STREAM

State:NY

ZIP:11581

Country:US

Info Phone Num:516-561-6146

Emerge

ncy Phone Num:516-561-6146

CAGE:ALNOR

=== Contractor Identification ===

Company Name:ALNOR OIL COMPANY

Address:70 EAST SUNRISE HIGHWAY

Box:City:VALLEY STREAM

State:NY

ZIP:11581

Country:US

Phone:516-561-6146

CAGE:ALNOR

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

=====
Composition/Information on Ingredients
=====

Ingred Name:CASTOR OIL (NOT CONSIDERED A HAZARDOUS MATERIAL)

CAS:8001-79-4

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.
Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.
Effects of Overexposure:SLIGHT LOCAL IRRITANT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:WASH THOROUGHLY WITH SOAP AND WATER.

=====
===== Fire Fighting Measures =====

Flash Point:>440F,>227C
Extinguishing Media:FOAM, CARBON DIOXIDE, OR SAND.
Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:CONFINE WITH SAND OR OTHER INERT MEDIA. RETURN TO CONTAINERS. DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
Neutralizing Agent:NOT APPLICABLE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.
Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED.
Ventilation:NORMAL PLANT VENTILATION.
Protective Glove

s:RUBBER OR NEOPRENE.

Eye Protection:GOGGLES AS GUARD AGAINST SPLASHING.

Other Protective Equipment:NOT NORMALLY NEEDED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

NONE.

=====
Physical/Chemical Properties
=====

HCC:V6

Boiling Pt:B.P. Text:>450F,>232C

Vapor Density:>AIR

Evaporation Rate & Reference:SLOWER THAN ETHER

Appearance and

Odor:NOT SPECIFIED BY MANUFACTURER.

Percent Volatiles by Volume:NIL

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

CAUSTIC AMINES, ALKANOLAMINES, INORGANIC ACIDS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:UNKNOWN IF ANY

=====
Disposal Considerations
=====

Waste Disposal Methods:CALL NATIONAL RESPONSE CENTER 800-424-8802.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.