View NSN Online: https://aerobasegroup.com/nsn/6810-00-275-8128

Troduct Identification

Product ID:STARCH, SOLUBLE

MSDS Date:04/06/1989

FSC:6810

NIIN:00-275-8128

MSDS Number: BJYGT === Responsible Party ===

Company Name: MALLINCKRODT INC SCIENCE PRODUCTS DIVISION

Address:PARIS BYPASS

Box:M City:PARIS State:KY ZIP:40361

Country:US

Info Phone Num:314-982-5000

Emergency P

hone Num:314-982-5000

CAGE:62910

=== Contractor Identification ===

Company Name: MALLINCKRODT SPECIALTY CHEMICALS CO

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ ZIP:08865 Country:US

Phone:908-859-2151

CAGE:62910

======= Composition/Information on Ingredients ========

Ingred Name:POTATO STARCH

CAS:9005-84-9

Other REC Limits: NONE SPECIFIED

========== Hazards Identification ============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Rep

Medical Cond Aggravated by Exposure:RESPIRATORY IMPAIRMENT MAY BE SENSITIVE TO STARCH DUST.
======================================
First Aid:INHALATION:REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF NECESSARY. INGESTION:IF LARGE AMOUNTS ARE SWALLOW ED, GIVE WATER TO DRINK AND GET MEDICAL ADVICE. SKIN:WASH EXPOSED AREA WITH SOAP AND WATER. GE T MEDICAL ADVICE IF IRRITATION DEVELOPES. EYES:WASH THOROUGHLY WITH RUNNING WATER. GET MEDICAL ADVICE IF IRRITATION DEVELOPES.
======================================
Flash Point:COMBUSTIBLE Autoignition Temp:Autoignition Temp Text:>716F Extinguishing Media:WATER SPRAY IF MATERIAL IS INVOLVED IN A FIRE. Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHIN G AND NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FUL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard:IN THE PRESENCE OF AN IGNITION SOURCE THERE IS THE POTENTIAL FOR A DUST EXPLOSION HAZARD.
========== Accidental Release Measures ==========
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. CLEAN-UP PERSONNEL MAY REQUIRE PROTECTION FROM INHALATION OF DUST. CLEAN UP SPILLS IN SUCH A MANNER THAT DOES NOT DISP ERSE DUST. PLACE IN A CLOSED CONTAINER.
=========== Handling and Storage =============
Handling and Storage Precautions:KEEP IN A TIGHTLY CLOSED CONTAINER. PROTECT FROM PHYSICAL DAMAGE. STORE IN A COOL, DRY, VENTILATED AREA AWAY FROM HEAT, MOISTURE AND INCOMPATIBILITIE. Other Precautions:NONE
====== Exposure Controls/Personal Protection =======
Respiratory Protection:IF THE TLV IS EXCEEDED, A HALF MASK CHEMICAL CARTRIDGE RESPIRATOR MAY BE W

orts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION:NUISANCE. EYE CONTACT:DUST

MAY CAUSE MECHANICAL IRRITATION.

Ventilation:LOCAL AND/OR GENERAL EXHAUST. Protective Gloves:WEAAR PROTECTIVE GLOVES. Eye Protection:CHEMICAL SAFETY GOGGLES. Other Protective Equipment:EYE WASH FOUNTAIN AND QUICK-DRENCH FACILITY. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:F8 Spec Gravity:@ 1.5 Solubility in Water:DISPERSIBLE, HOT H2O Appearance and Odor:WHITE, AMORPHOUS POWDER OR GRANULES. SLIGHT
CHARACTERISTIC ODOR.
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Stability Condition to Avoid:EXTREME TEMPERATURES. Hazardous Decomposition Products:HEAVY, BLACK ACRID SMOKE.
======= Disposal Considerations ==========
Waste Disposal Methods:BURN IN AN APPROVED INCINERATOR OR DISPOSE OF IN AN APPROVED WASTE FACILITY. ENSURE COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATION S.
Disclaimer (provided with this information by the compiling agencies):

ORN.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular sit

