View NSN Online: https://aerobasegroup.com/nsn/8010-01-272-4050

INTERNATIONAL PAINT (USA) INC. -- THINNER 4-060/TH6862/4-05, GTA007 -- 8010-01-272-4050

Product ID:THINNER 4-060/TH6862/4-05, GTA007 MSDS Date:07/05/1989 FSC:8010 NIIN:01-272-4050 **MSDS Number: BJYNG** === Responsible Party === Company Name: INTERNATIONAL PAINT (USA) INC. Box:386 City:UNION State:NJ ZIP:07083 Country:US Info Phone Num:713-682-1711 **Emergency Phone Nu** m:800-854-6813 CAGE:26351 === Contractor Identification === **Company Name:INTERNATIONAL PAINT INC** Address:6001 ANTOINE DR Box:City:HOUSTON State:TX ZIP:77091 Country:US Phone:800-589-1267/800-854-6813 CAGE:26351 Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III) CAS:1330-20-7 RTECS #:ZE2100000 Fraction by Wt: 95-100% Other REC Limits:NONE SPECIFIED OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DO

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: CHRONIC OVEREXPOSURE TO, AND MISUSE OF, SOLVENTS HAS BEEN LINKED TO PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. Effects of Overexposure: EYES: CAN CAUSE IRRITATION WITH REDNESS, TEARING AND BLURRED VISION. SKIN: IRRITATING. MAY RESULT IN DERMATITIS. **INHALA** TION: IRRITATION OF RESPIRATORY TRACT. HEADACHE, DIZZINESS AND UNCONSCIOUSNESS. INGE STION: MAY CAUSE GASTRO-INTESTINAL IRRITATION. Medical Cond Aggravated by Exposure: SKIN AND RESPIRATORY CONDITIONS. First Aid: EYES: FLUSH IMMEDIATELY WITH COPIOUS QUANTITIES OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IMMEDIATELY. SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH PLENTY OF SOAP AND WATER. LAUNDER CLOTHES B EFO RE REUSE. INHALATION: REMOVE TO FRESHAIR. GIVE ARTIFICIAL RESPIRATION IF NEEDED. GET MEDICAL ATTENTION. INGESTION:CALL A PHYSICIAN IMMEDIATELY TO DETERMINE WHETHER OR NOT TO INDUCE VOMITING. Flash Point:80F/27C Lower Limits: 1.0 Extinguishing Media:FOAM, CO2, DRY CHEMICAL Fire Fighting Procedures: SMOTHER FLAMES W/EXT MEDIA. USE H2O TO COOL UNOPEN CONTAINERS, NOT AS EXT MEDIA. TAKE CARE TO PREVENT SPREAD OF BURN ING LIQUID W/H2O.CLOSED CONTAINERS MAY EXPLODE. Unusual Fire/Explosion Hazard: CONTAINS FLAMMABLE SOLVENT. DO NOT USE IN AREAS WHERE SPARK OR OPEN FLAME ARE PRESENT. Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. AVOID INHALATION OF VAPORS. VENTILATE AREA. CLEAN UP WITH ABSORBANT MATERIALS.

Handling and Storage Precautions: STORE IN BUILD

**ING DESIGNED & PROTECTED** FOR STORAGE OF LIQUIDS W/NFPA CLASS. AVOID BREATHING DUST/CHIPS FROM SANDING/BLASTING SURFACES COATED W/PRODUCT Other Precautions: RECOMMEND GROUNDING AND BONDING OF CONTAINERS WHEN TRANSFERRING LIQUIDS AND POWDERS TO AVOID STATIC CHARGE BUILD UP. Respiratory Protection: IN OUTDOOR/OPEN AREAS W/UNRESTRICTED VENT, USE A FILTER RSPRTR TO REMOVE SOLID AIRBORNE PARTICLES OF OVERSPRAY DURIN G SPRAY APPLICATION.IN RESTRICTED VENT AREA, USE RSPRTR IN ACCORD W/29 CFR 1910 TO REM OVE A COMBINATION OF PARTICULATES/VAPORS Ventilation: PROVIDE SUFFICIENT VENTILATION IN VOL/PATTERN TO KEEP TLV/LEL BELOW LIMITS/TO REMOVE DECOMP PRODUCTS DURING WELD/CUTTING Protective Gloves:WEAR CHEMICAL RESISTANT GLOVES. Eye Protection: SAFETY GLASSES, CHEM GOGGLES/FACESHIELD. Other Protective Equipment: WEAR APPROPRIATE IMPERVIOUS PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT. Work Hygienic Pract ices:REMOVE AND WASH SOILED CLOTHING BEFORE REUSE. WASH HANDS BEFORE EATING OR SMOKING. Supplemental Safety and Health Boiling Pt:B.P. Text:230 TO 280F Vapor Density:> AIR Evaporation Rate & amp; Reference: SLOWER THAN ETHER Percent Volatiles by Volume:100 Stability Indicator/Materials to Avoid:YES **OXIDIZING AGENTS** Stability Condition to Avoid:STORE AWAY FROM DIRECT HEAT, FLAME OR SPARK. Hazardous Decomposition Products:CO, CO2, VARIOUS HYDROCARBON FRAGMENTS. Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE UNOPENED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of Americ a in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.