View NSN Online: https://aerobasegroup.com/nsn/9150-00-117-8791

MOBIL OIL CORP -- PL TWO CYCLE OIL -- 9150-00-117-8791

======== Product Identification ===========

Product ID:PL TWO CYCLE OIL

MSDS Date:09/21/1990

FSC:9150

NIIN:00-117-8791

MSDS Number: BJYRD === Responsible Party ===

Company Name: MOBIL OIL CORP

Box:1025

City:PRINCETON

State:NJ ZIP:08540 Country:US

Info Phone Num:800-662-4525

Emergency Phone Num:609-737-4411/800-424-9300(CHEMTREC)

CAGE:6A687 === Contract

or Identification ===

Company Name: HMC (HAWAIAN MOTOR COMPANY) Address: COMPANY SEEMS TO BE OUT OF BUSINESS

Box:City:TORRANCE

State:CA Country:US

Phone: COMPANY OUT OF BUSINESS

CAGE:3L240

Company Name: MOBIL OIL CORP

Box:1025

City:PRINCETON

State:NJ ZIP:08540 Country:US

Phone:609-737-4411

CAGE:6A687

======= Composition/Information on Ingredients ========

Ingred Name: KEROSINE (ALIPHATIC PETROLEUM SOLVENT)

CAS:8008-20-6

RTECS #:OA5500000

= Wt:10.

Other REC Limits: NONE SPECIFIED

OSHA PE

L:100 PPM STODDARD ACGIH TLV:100 PPM STODDARD

Ingred Name: ADDITIVES AND OTHER INGREDIENTS

Other REC Limits: NONE SPECIFIED

Ingred Name: REFINED MINERAL OIL Other REC Limits: NONE SPECIFIED OSHA PEL:5 MG/M3 OIL MIST ACGIH TLV:5 MG/M3 OIL MIST

=========== Hazards Identification ==========================

LD50 LC50 Mixture:LD 50 ORAL RAT IS > 5000 MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chroni

c:HEALTH HAZARDS: ACUTE: SLIGHT

IRRITATION TO BODY TISSUES, INHALATION MAY LEAD TO CENTRAL NERVOUS SYSTEM EFFECTS. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity: NONE OF THE INGREDIENTS IN THIS PRODUCT IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.

Effects of Overexposure: EYES/SKIN: SLIGHT IRRITATION. INHALATION:

RESPIRATORY IRRITATION, DIZZINESS, NAUSEA, LOSS OF CONSCIOUSNESS.

Medical Cond Aggravated by Exposure: INDIVIDUALS WITH A HISTORY OF SKIN AN

D RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. SKIN:WASH WITH SOAP AND WATER. INHALATION:REMOVE VICTIM TO FRESH AIR.GIVE OXYGEN/CPR IF NEEDED.SEE DOCTOR. INGESTION:GIVE 1 TO 2 GLASSES OF WAT ER.DO NOT INDUCE VOMITING.SEE DOCTOR.NOTHING BY MOUTH IF UNCONSCIOUS.

Flash Point Method:PMCC Flash Point:>65.6C, 150.F

Lower Limits:0.6 Upper Limits:7.0

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

====== Accident

al Release Measures ==========
Spill Release Procedures:REMOVE PERSONNEL.ELIMINATE IGNITION SOURCES.VENTILATE AREA.WEAR PROTECTIVE CLOTHING AND EQUIPMENT.ABSORB IN INERT MATERIAL AND PLACE IN APPROPIATE DISPOSAL CONTAINER AND COVER.
============= Handling and Storage ==============
Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT, IGNITION SOURCES AND INCOMPATIBLE MATERIALS. KEEP CONTAINES CLOSED.
Other Precautions: AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH/MSHA-APPROVED RESPIRATOR OR SCBA AS APPROPIATE FOR EXPOSURE OF CONCERN. Ventilation:MECHANICAL (GENERAL) OR LOCAL EXHAUST VENTILATION. USE EXPLOSION-PROOF EQUIPMENT. Protective Gloves:NO SPECIAL REQUIREMENT. Eye Protection:SAFETY GLASSES. Other Protective Equipment:NONE SPECIFIED BY MAN UFACTURER.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health NONE.

========= Physical/Chemical Properties ==========

HCC:V4 Boiling Pt:>93.3C, 200.F Vapor Pres: