

CONNECTICUT VALLEY INDUSTRIES INC -- MERCURY IN GLASS THERMOMETER --
6660-00-247-2972

===== Product Identification =====

Product ID:MERCURY IN GLASS THERMOMETER
MSDS Date:06/10/1989
FSC:6660
NIIN:00-247-2972
MSDS Number: BJYTR
=== Responsible Party ===
Company Name:CONNECTICUT VALLEY INDUSTRIES INC
Address:16 PLAINS RD
City:ESSEX
State:CT
ZIP:06426-1501
Country:US
Info Phone Num:203-767-9051
Emer
gency Phone Num:203-767-9051
CAGE:55560

=== Contractor Identification ===
Company Name:CONNECTICUT VALLEY INDUSTRIES INC
Address:8 CENTER ROAD
Box:City:OLD STAYBROOK
State:CT
ZIP:06475
Country:US
Phone:860-388-0822/FAX: 860-388-1651
CAGE:55560

===== Composition/Information on Ingredients =====

Ingred Name:MERCURY (SARA III)
CAS:7439-97-6
RTECS #:OV4550000
Fraction by Wt: 100%
OSHA PEL:S, C, 0.1 MG/M3
ACGIH TLV:S, 0.05 MG/M3; 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INGEST-BURNING IN MOUTH &
THROAT;THIRST; SHOCK; CARDIAC ARRHYTHMIAS; NAUSEA, VOMITING,
ABDOMINAL PAIN, BLODDY DIARRHEA; HEMATURIA,ALBUMINURIA; INHAL:
METAL FUME FEVER; GASTROINTESTINAL SYMPTOMS ; BRONCHITIS; CHRONIC:
CNS- VASOMOTOR DISTURBANCES; INSOMMIA; TREMORS;INHAL-COUG
H, FEVER;
HEMATOPOIETIC-MILD ANEMIA.
Effects of Overexposure:INHAL: METAL FUME FEVER; SALIVATION & METALLIC
TASTE; CHEST TIGHTNESS; COUGH; SKIN: PRIMARY IRRITANT &
OCCASIONALLY SENSITIZER; INGEST: THIRST, SHOCK, NAUSEA, VOMITING
Medical Cond Aggravated by Exposure:PRECLUDE FROM EXPOSURE INDIVIDUALS

=====
First Aid Measures
=====

First Aid:CONTACT QUALIFIED PHYSICIAN.

=====
Fire Fighting Measures
=====

Fire Fi
ghting Procedures:USE SELF CONTAINED OR AIR LINE RESPIRATORS
ONLY.
Unusual Fire/Explosion Hazard:MERCURY IS NOT COMBUSTIBLE, BUT WILL
EVAPORATE WHEN HEATED, CREATING TOXIC FUMES. WILL COMBINE WITH
OTHER COMPOUNDS TO CREATE UNSTABLE COMPOUNDS.

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR RUBBER GLOVES,SCBA,PROTECTIVE CLOTHING;
METAL: COLLECT ALL DROPLETS & POOLS AT ONCE BY MEANS OF SUCTION
PUMP ASPIRATOR BOTTLE W/LONG CAPI
LLARY TUBE. COVER FINE DROPLETS IN
NON ACCESSIBLE CRACKS W /CALCIUM POLYSULFIDE & EXCESS SULFUR.

=====
Handling and Storage
=====

Handling and Storage Precautions:MERCURY IS THE THERMOMETER INDICATING
FLUID. HANDLE & STORE SO AS TO MINIMIZE BREAKAGE OF THERMOMETER &
MERCURY SPILLAGE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT NEEDED UNLESS MERCURY IS SPILLED. AT 0.5
MG/CUM:ANY CHEM. CARTRID

GE RESPIRATOR W/CARTRIDGE(S) PROVIDING PROTECTION AGAINST COMPOUND/ANY SUPPLIED-AIR RESPIR/SCBA; AT 1.25 MG/CUM: SUPPL-AIR RESPIR. IN CONTINUOUS FLOW MODE/"PAPRS"
Ventilation:NORMAL ROOM VENTILATION; IF MERCURY PRESENT:ADEQUATE VENTILATION W/REGULAR MONITORING OF WORK AREA.
Protective Gloves:IMPERVIOUS TYPE FOR HANDLING MERCURY.
Eye Protection:AS REQUIRED FOR SITUATION AT HAND.
Other Protective Equipment:NORMAL WORKING CLOTHING COVERING ARMS & LEGS.

Work Hygienic Practices:HANDL
E THERMOMETERS SO AS TO AVOID BREAKAGE &
THUS SPILLAGE OF MERCURY.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T6
Boiling Pt:B.P. Text:676F,358C
Melt/Freeze Pt:M.P/F.P Text:-38F/-38.9C
Vapor Pres:0.0019
Spec Gravity:13.6
Evaporation Rate & Reference:LESS THAN ONE
Solubility in Water:NONE
Appearance and Odor:SILVER METALLIC LIQUID.
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

===

Stability Indicator/Materials to Avoid:YES
AMMONIA, GOLD AND SILVER.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:NONE STATED.

===== Disposal Considerations =====

Waste Disposal Methods:COMBINE ALL CONTAMINATED MERCURY IN AN TIGHTLY STOPPER BOTTLE. HOLD IT FOR PURIFICATION OR SALE. DO NOT ALLOW MERCURY TO CONTAMINATE AIR OR WATER.

Disclaimer (provided with this information by the compiling agencies):
This information is form

ulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.