

P-T TECHNOLOGIES, INC. -- DUCKSEAL SEALANT -- 8030-00-281-2337

=====
Product Identification
=====

Product ID:DUCKSEAL SEALANT

MSDS Date:01/11/1990

FSC:8030

NIIN:00-281-2337

MSDS Number: BJYVV

=== Responsible Party ===

Company Name:P-T TECHNOLOGIES, INC.

Address:800 NORTH BELCHER ROAD, SUITE #2

City:CLEARWATER

State:FL

ZIP:34625

Country:US

Info Phone Num:813-442-2876

Emergency Phone Num:813-442-28

76

CAGE:0JVH6

=== Contractor Identification ===

Company Name:P-T TECHNOLOGIES INC

Address:108 4TH AVENUE, SOUTH

Box:City:SAFETY HARBOR

State:FL

ZIP:34695

Country:US

Phone:813-726-4644

CAGE:0JVH6

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENT

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Health Hazards Acute and Chronic:INGESTI

ON: PRODUCT HAS LOW ORDER OF
ACUTE ORAL TOXICITY.

Effects of Overexposure:INGESTION:INGESTION OF LARGE QUANTITIES MAY
CAUSE NAUSEA, VOMITING & GASTROINTESTINAL IRRITATION.
INHALATION:NONE. SKIN:NONE. & EYES:THIS PRODUCT IS AN INERT SOLID.
IF IN EYE IRRITATION MAY RESULT, SI MILAR TO THAT OF ANY FOREIGN
OBJECT IN EYE.

=====
===== First Aid Measures =====

First Aid:SKIN:WASH THOROUGHLY WITH SOAP & WATER. EYES:FLUSH WITH WATER
FOR 15 MINUTES
. IF IRRITATION PERSISTS, CONTACT PHYSICIAN.
INHALATION:DOES NOT APPLY. & INGESTION:NO FIRST AID NORMALLY NEEDED
FOR INGESTI ON OF SMALL QUANTITIES. IF LARGE QUANTITIES INGESTED
CONTACT PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:>300F,>149C
Extinguishing Media:CARBON DIOXIDE, FOAM OR DRY CHEMICAL.
Fire Fighting Procedures:CLASS B FIRE PROCEDURES. WEAR NIOSH APPROVED
RESPIRATOR WITH FULL PROTECTIVE GEAR.
Unu
sual Fire/Explosion Hazard:N/K OR IDENTIFIED

=====
===== Accidental Release Measures =====

Spill Release Procedures:RECOVER PRODUCT & PLACE IN SUITABLE CONTAINERS

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HIGH HEAT SOURCES &
OPEN FLAMES.
Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED
Ventilation:NORMAL VENTILATI

ON IS ADEQUATE

Protective Gloves:NONE REQUIRED

Eye Protection:SAFETY GLASSES ARE RECOMMENDED

Other Protective Equipment:NONE REQUIRED

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING

Supplemental Safety and Health

DUCKSEAL SEALANT IS A RUBBER & INERT MATERIAL BASED CAULKING COMPOUND.

IT CONTAINS NO KNOWN HAZARDOUS INGREDIENTS OR ABESTOS. THERE ARE NO OSHA OR ACGIH THRESHOLD LIMIT VALUES FOR THE PRODUCT OR ANY OF ITS INGREDIENTS.

===== Physical/Chemical Properties =====

HCC:N1

Vapor Pres:TRIVIAL

Spec Gravity:1.55-1.65

Solubility in Water:NON SOLUBLE

Appearance and Odor:TACKY SOLID, SLIGHT PETROLEUM ODOR, GRAY COLOR.

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, PRODUCT CONTAINS HYDROCARBON.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH STATE, LOCAL & FEDERAL REGULATIONS FOR NON-HAZARDOUS MATERIALS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.