

WITCO CHEMICAL CORP SONNEBORN CHEMICAL & REFINING -- PETROLATUM VV-P-236A --
9150-00-404-6055

===== Product Identification =====

Product ID:PETROLATUM VV-P-236A

MSDS Date:06/01/1990

FSC:9150

NIIN:00-404-6055

MSDS Number: BJYXD

=== Responsible Party ===

Company Name:WITCO CHEMICAL CORP SONNEBORN CHEMICAL & REFINING

Box:336

City:PETROLIA

State:PA

ZIP:16060

Country:US

Info Phone Num:412-756-2210 ; 2

12-605-3911

Emergency Phone Num:412-756-2210

Preparer's Name:ALEXANDER COUTRAS

CAGE:78369

=== Contractor Identification ===

Company Name:WITCO CHEMICAL CORP SONNEBORN CHEMICAL & REFINING

Address:277 PARK AVE

Box:City:NEW YORK

State:NY

ZIP:10017-6156

Country:US

Phone:800-424-9300(CHEMTREC)

CAGE:78369

===== Composition/Information on Ingredients =====

Ingred Name:GREASE, PETROLEUM

CAS:8009-03-8

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

=====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:LOW HEALTH HAZARDS; IRRITATION OF
EYES, SKIN, RESPIRATORY OR G,I.TRACT;REDNESS OR BURNS OF EYES ARE
POSSIBLE.
Explanation of Carcinogenicity:DATA PER MGF MSDS.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE
WORSEN.

===== First Aid Me
asures =====

First Aid:EYES AND SKIN:FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT
15-20 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE
TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION
IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:>400F,>204C
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTE
CTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL
FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:NONE NOTED; COMBUSTION OR HEAT OF FIRE
MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;SWEEP UP OR
SHOVEL UP AND COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

=====
== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED
AREA.KEEP CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions:WASH THOROUGHLY AFTER EACH USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED WITH ADEQUATE VENTILATION.
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES/GOGGLES
Other Protective Equipment:PROTECTIV

E CLOTHINGS.EYE-WASH
FACILITIES,SAFETY SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE
VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE;DO NOT
EAT,DRINK,SMOKE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Melt/Freeze Pt:M.P/F.P Text:110F,43C

Spec Gravity:0.815-0.880

Solubility in Water:NIL

Appearance and Odor:SEMI SOLID,OIL LIKE OPAQUE YELLOW TO BROWN

===== Stability and React
ivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES
OF IGNITION

Hazardous Decomposition Products:NOT SPECIFIED

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN
ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.