ACCUMETRIC INC ACCUMETRIC 210H FLUID 9150-00-480-7869 ====================================
Product ID:ACCUMETRIC 210H FLUID MSDS Date:06/18/1986 FSC:9150 NIIN:00-480-7869 MSDS Number: BJYXH === Responsible Party === Company Name:ACCUMETRIC INC Address:350 RING RD Box:843 City:ELIZABETHTOWN State:KY ZIP:42701 Country:US Info Phone Num:502-769-3385 Emergency Phone Num:502-769-3385 Preparer's Name:DEBBIE DUNN CAGE:58149 === Contractor Identification === Compa ny Name:ACCUMETRIC INC Address:350 RING RD Box:843 City:ELIZABETHTOWN State:KY ZIP:42701 Country:US Phone:502-769-3385 CAGE:58149
======== Composition/Information on Ingredients ==========  Ingred Name:SILICONE FLUID Other REC Limits:NONE SPECIFIED
======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES/SKIN: PROLONGED CONTA

SLIGHT IRRITATION. GENERAL: LOW TOXICITY LEVEL ON CONTACT OR INGESTION.
Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.
Effects of Overexposure:IRRITATION OF EYES/SKIN/RESPIRATORY TRACT.
Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.
======================================
First Aid:E YE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: MANUFACTURER REPORTS THAT NO FIRST AIR SH OULD BE NEEDED FOR SMALL ORAL AMOUNTS ACCIDENTALLY INGESTED.
======================================
Flash Point Method:OC Flash Point:>550F,>288C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:WEAR FI RE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:NONE KNOWN; COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.
========= Accidental Release Measures ==========
Spill Release Procedures:MOP OR WIPE UP SPILL WITH ABSORBENT MATERIAL. Neutralizing Agent:NONE
======================================
Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM PHYSICAL DAMAGE. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRU

CTIONS/WARNINGS AND
NIOSH-RESPIRATOR SELECTION.
Ventilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE.
Protective Gloves:RUBBER OR PLASTIC GLOVES
Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH AT MEALTIME AND END OF SHIFT. AVOID DIRECT CONTACT WITH MATERIAL.
Supplemental Safety and Health
USE REASONABLE CARE AND CAUTION.

HCC:V6
Boiling Pt:B.P. Text:>600F,>316C
Vapor Pres: