View NSN Online: https://aerobasegroup.com/nsn/9150-00-577-4241

Product ID:500 SOL EXT COASTAL PALE; CODE:211390-01290 MSDS Date:06/01/1989 FSC:9150 NIIN:00-577-4241 MSDS Number: BJYZH === Responsible Party === Company Name: EXXON CO USA, A DIV OF EXXON CORP. Address:800 BELL ST Box:2180 **City:HOUSTON** State:TX ZIP:77252-2180 С ountry:US Info Phone Num:713-698-5948 Emergency Phone Num:713-870-6000 CAGE:29700 === Contractor Identification === Company Name: EXXON COMPANY U.S.A. Box:2180 **City:HOUSTON** State:TX ZIP:77252-2180 Country:US Phone:713-656-5949 / 713-656-3424 CAGE:29700 Company Name: SANLO PRODUCTS CO Address:100 ,MANHATTAN AVE SUITE 103 **City: UNION CITY** State:NJ ZIP:07087 Country:US Phone:201-348-1684/800-424-9300(CHEMTREC) CAGE:0K5U0

Ingred Nam

e:SOLVENT REFINED HEAVY NAPHTHENIC DISTILLATE,PETROLEUM CAS:64741-96-4 RTECS #:PY8040000 Fraction by Wt: 100% Other REC Limits:NONE SPECIFIED ACGIH TLV:300 PPM

Ingred Name:DISTILLATES, SOLVENT-DEWAXED HEAVY NAPHTHENIC; EXXON LISTED THIS AND INGREDIENT #1 AS 100% COMPONENTS ON THEIR MSDS. CAS:64742-63-8 RTECS #:PY8038000 Fraction by Wt: SEEABOV Other REC Limits:NONE SPECIFIED OSHA PEL:300 PPM ACGIH TLV:300 PPM

LD50 LC50

Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: MAY BE MILDLY IRRITATING TO EYES AND SKIN. INHALATION:NOT EXPECTED TO BE A RELEVANT ROUTE OF EXPOSURE; HIGH TEMPERATURE VAPORS IRRITATE RESPIRATORY TRACT. INGESTION:LOW LEVEL OF TOXICITY.MAY CA USE IRRITATION TO DIGESTIVE TRACK.CHRONIC: PROLONGED SKIN CONTACT CAN CAUSE IRRITATION AND DERMAT

ITIS BY REMOVING SKIN.

Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

Effects of Overexposure:INGESTION:LOW ORAL TOXICITY PRODUCT. MAY CAUSE DIGESTIVE TRACK (GASTROINTESTINAL) IRRITATION,NAUSEA,VOMITING,& DIARRHEA. EYES:MAY CAUSE IRRITATION,REDNESS,BLURRED VISION. SKIN:PROLONGED OR REPEATED CO NTACT MAY CAUSE IRRITATION AND DERMATITIS. INHALATION:EXPOSURE TO HEATED MIST/VAPORS MAY IRRITATE NOSE/THROAT.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:INHALATION: REMOVE TO FRESH AIR.GET MEDICAL ATTENTION. EYES:FLUSH WITH WATER FOR AT LEAST 15 MINUTES WHILE HOLDING EYELIDS OPEN.GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP & WATER OR USE A SUITABLE SK IN CLEANER.REMOVE CONTAMINATED CLOTHING.IF IRRITATION PERSISTS,GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IN GENERAL,NO TREATMENT IS REQUIRED.KEEP WARM AND QUIET AND GET MEDICAL ADVICE.

Flash Point Method:COC Flash Point:410F,210C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SP

RAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures:ELIMINATE IGNITION SOURCES.USE APPROPRIATE PROTECTIVE GEARS.ABSORB WITH INERT ABSORBENT.SCOOP UP ABSORBED WASTE AND PLACE IN COVERED DRUMS. LARGE SPILL:CONTAIN BY DIKING.RECOVER FREE OIL AND REUSE/REC YCLE.DO NOT FLUSH LIQUID/RESIDUE TO SEWER. Neutralizing Agent:NON E SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP AWAY FROM OPEN FLAMES & HIGH TEMPERATURES.
Other Precautions:MINIMIZE SKIN CONTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINA
TED LEATHER ARTICLES (SHOES) THAT CAN NOT BE

TED LEATHER ARTICLES (SHOES) THAT CAN NOT BE DECONTAMINATED.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH APPROVED ORGANIC RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS. RESPIRATORY PROTECTION NOT ORDINARIL Y REQUIRED. Ventilation: IN GENERAL, NONE REQUIRED. FOR INDUSTRIAL USE, APPLY LOCAL EXHAUST TO KEEP BELOW TLV.KEEP Protective Gloves:CHEMICAL RESISTANT, NEOPRENE, RUBBER
Eye Protection:SAFETY GLASSES OR GOGGLES RECOMMENDED.
Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.
INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.
Supplemental Safety and Health NONE.

HCC:V6 Boiling Pt:B.P. Text: >525F,>274C Vapor Density:>5(AIR=1) Spec Gravity:0.90 Viscosity:310SUS@100F Evaporation Rate & amp; Reference: