View NSN Online: https://aerobasegroup.com/nsn/9150-00-616-9020

CROWN OIL & CHEMICAL CO. -- GREASE, AIRCRAFT -- 9150-00-616-9020

Product ID:GREASE, AIRCRAFT MSDS Date:11/05/1987 FSC:9150 NIIN:00-616-9020 MSDS Number: BJZBG === Responsible Party === Company Name: CROWN OIL & CHEMICAL CO. Address:759 HILL STREET Box:10692 **City: JEFFERSON** State:LA ZIP:70181 Country:US Info Phone Num:504-733-9133 FAX: 504-734-7255 **Emergency Phone** Num:504-733-9133 CAGE:0CF76 === Contractor Identification === Company Name: CROWN OIL & CHEMICAL CO. Address:751 HILL STREET Box:City:JEFFERSON State:LA ZIP:70121 Country:US Phone:504 OUT OF BUSINESS CAGE:0CF76

Ingred Name:THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE PRESENT IN THIS PRODUCT. RTECS #:99999992Z Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: EYE:MAY BE MILDLY IRRITATING. SKIN:RELEASE DURING HIGH PRESSURE USAGE MAY RESULT IN INJECTION OF OIL INTO THE SKIN CAUSING LOCAL NECROSIS. INHALATION:NOT EXPECTED TO BE A RELEVANT ROUTE OF EXPO SURE; HIGH TEMPERATURE VAPORS IRRITATE RESPIRATORY TRACT. INGESTION:LOW LEVEL OF TOXIC ITY. CHRONIC: SKIN DISORDERS. Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS

LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure:MAY CAUSE EYE, SKIN & RESPIRATORY TRACT IRRITATION. LOCAL NECROSIS IS EVIDENCED BY DELAYED ONSET OF PAIN AND TISSUE DAMAGE A FEW HOURS FOLLOWING INJECTION. Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

======= First Aid Measu

res =================================

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION. EYE: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH S OAP & WATER/WATERLESS CLEANER. REMOVE CONTAMINATED CLOTHING. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IN GENERAL, NO TREATMENT IS REQUIRED. GET MEDICAL ADVICE.

======================== Fire Fight

Flash Point Method:PMCC Flash Point:212F,100C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

====== Accidental R

elease Measures ================

Spill Release Procedures:SCOOP UP EXCESS GREASE. CLEAN AREA WITH APPROPRIATE CLEANER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP AWAY FROM OPEN FLAMES & HIGH TEMPERATURES. Other Precautions:MINIMIZE SKIN CONTACT. WASH WITH SOAP & WA TER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES (SHOES) THAT CAN NOT BE DECONTAMINATED.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS. RESPIRATORY PROTEC

TION NOT ORDINARILY R EQUIRED.

Ventilation:NONE REQUIRED

Protective Gloves: NEOPRENE RUBBER AS REQUIRED.

Eye Protection: SAFETY GLASSES RECOMMENDED.

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health DO NOT GET IN EYES OR ON CLOTHING.

Physical/Chemical Properties =============

HCC:V6

Solubility in Water:NEGLIGIBLE Appearance and Odor:AMBER COLORED GREASE Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products: A MIXTURE OF AIRBORNE SOLID, LIQUID PARTICULATES AND GASES (CO) WILL EVOLVE WHEN

THIS MATERIAL UNDERGOES COMBUSTION.

Waste Disposal Methods: DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate an d

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.