

FORD MOTOR COMPANY -- MOTORCRAFT FORD TYPE F AUTOMATIC TRANSMISSI --
9150-01-087-2234

===== Product Identification =====

Product ID:MOTORCRAFT FORD TYPE F AUTOMATIC TRANSMISSI

MSDS Date:11/23/1988

FSC:9150

NIIN:01-087-2234

MSDS Number: BJZKB

=== Responsible Party ===

Company Name:FORD MOTOR COMPANY

Address:3000 SCHAEFER ROAD

Box:1902

City:DEARBORN

State:MI

ZIP:48121

Country:US

Info Phone Num:313-

337-3182/800-424-9300(CHEMTREC)

Emergency Phone Num:313-337-3182/313-323-0045

CAGE:2J502

=== Contractor Identification ===

Company Name:FORD MOTOR CO, GOVERNMENT PART SALES

Address:3000 SCHAEFER ROAD

Box:1902

City:DEARBORN

State:MI

ZIP:48121

Country:US

Phone:313-323-0045

CAGE:23040

Company Name:FORD MOTOR COMPANY

Address:3000 SCHAEFER ROAD

Box:1902

City:DEARBORN

State:MI

ZIP:48121

Country:US

Phone:800-959-3673

CAGE:2J502

Company Name:UPD INC

Address:820 AVE F SUITE 104

Box:861468

City:PLANO

Stat

e:TX
ZIP:75086-1468
Country:US
Phone:214-881-0137
CAGE:5P920

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY
PARAFFINIC
CAS:64742-65-0
RTECS #:PY8038500
Fraction by Wt: >60%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:5 MG/M3 (OIL MIST)

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC
:NO OSHA:NO
Health Hazards Acute and Chronic:EXPOSURE TO OIL MIST/FUME/VAPOR MAY
CAUSE RESPIRATORY TRACT IRRITATION. THIS PRODUCT MAY CAUSE CARDIAC
SENSITIZATION. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE
IRRITATION/DERMATITIS. THIS PRODUCT MAY CAUSE IRRITATION TO THE
EYES AND RESPIRATORY SYSTEM.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:(FROM THE 1990 EMERGENCY RESPONSE GUIDEBOOK, NOT IN MSDS)
MOVE VICTIM TO FRESH AIR AND CALL EMERGENCY MEDICAL CARE; IF NOT
BREATHING, GIVE ARTIFICIAL RESPIRATION; IF BREATHING IS DIFFICULT,
GIVE OXYG EN. IN CASE OF CONTACT WITH MATERIAL, IMMEDIATELY FLUSH
EYES WITH RUNNING WATER FOR AT LEAST 15 MIN. WASH SKIN WITH SOAP
AND WATER. REMOVE AND ISOLATE CONTAMINATED CLOTHING AND SHOES AT
THE SITE.

=====
Fire Fighting Measures
=====

=

Flash Point Method:COC

Flash Point:345F,>174C

Extinguishing Media:DRY CHEMICAL, FOAM OR CARBON DIOXIDE.

Fire Fighting Procedures:WATER OR FOAM MAY CAUSE FROTHING IF THE PRODUCT IS HEATED ABOVE 93C. USE WATER TO COOL FIRE EXPOSED CONTAINERS AND TO PROTECT PERSONNEL.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:DO NOT ALLOW THIS MATERIAL TO DRAIN INTO SEWERS/WATER SUPPLIES

. ABSORB WITH AN INERT MATERIAL. SURFACE BECOME SLIPPERY AFTER SPILLAGE. FOR LARGE SPILLS USE SAND, PERLITE OR VERMICULITE AS AN ABSORBENT .

===== Handling and Storage =====

Handling and Storage Precautions:KEEP THIS MATERIAL IN A COOL, WELL-VENTILATED PLACE. AVOID PROLONGED OR REPEATED CONTACT WITH THIS MATERIAL. AVOID THE GENERATION OF MISTS.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respira

tory Protection:NOT NORMALLY NECESSARY.

Ventilation:LOCAL EXHAUST IS SUGGESTED FOR USE.

Protective Gloves:IMPERVIOUS GLOVES FOR LONG EXPOSURE.

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>601F,>316C

Spec Gravity:0.870

Solubility in Water:INSOLUBLE

Appearance and O

dor:LIQUID, PETROLEUM DISTILLATE

===== Stability and Reactivity Data =====

OXIDIZING AGENTS.

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS AND OPEN FLAMES.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND/OR
LOW MOLECULAR WEIGHT HYDROCARBONS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE ACCORDING TO LOCAL, STATE AND
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.