View NSN Online: https://aerobasegroup.com/nsn/8030-01-097-9102

Product ID:URALANE 5753 B (LV)

MSDS Date:03/06/1987

FSC:8030

NIIN:01-097-9102

Kit Part:Y

MSDS Number: BJZKK === Responsible Party ===

Company Name: FURANE PRODUCTS COMPANY Address: 5121 SAN FERNANDO ROAD WEST

City:LOS ANGELES

State:CA ZIP:90039 Country:US

Info Phone Num:818-247-6210

Emergency Phone Num:818-247-6210

CAGE:00131

=== Contractor Identification ===

Company Name: CIBA-GEIGY COMPANY, FURANE PRODUCTS

Address:5121 SAN FERNANDO ROAD WEST

Box:City:LOS ANGELES

State:CA ZIP:90039 Country:US

Phone:818-247-6210 OR 800-334-9481

CAGE:0EJE3

Company Name: FURANE PRODUCTS COMPANY

Phone:(201) 499-2401

**CAGE:**OO131

======= Composition/Information on Ingredients ========

Ingred Name: HYDROXY TERMINATED POLYOLS

Fraction by Wt: 100%

Other REC Limits: NONE SPECIFIED

Hazards Identification ===========
Effects of Overexposure:INHALATION:VAPORS OR MISTS CAN BE HARMFUL IF INHALED. EYE CONTACT:MODERATELY IRRITATING TO EYES. SKIN CONTACT:SLIGHTLY IRRITATING TO SKIN. INGESTION:POSSIBLY HARMFUL IF SWALLLOWED. CAN CAUSE DELAYED A LLERGIC REACTION.
======================================
First Aid:INHALATION:MOVE TO FRESH AIR. EYE CONTACT:FLUSH WITH A LARGE AMOUNT OF WATER FOR 15 MINUTES. GET PROMPT MEDICAL ATTENTION.
SKIN:WASH SKIN THOROUGHLY WITH SOAP AND WATER. REMOVE AND WASH CLOTHING BEFOR E REUSE. INGESTION:IF SWALLOWED DILUTE BY GIVING 2 GLASSES OF WATER TO DRINK. SEE A PHYSICIAN. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
============= Fire Fighting Measures ==============
Flash Point Method:COC Flash Point:450F,232C Extinguishing Media:CO2, DRY CHEMICAL, WATER SPRAY Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS (PRESSURE -DEMAND, MSHA/NIOSH APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR.
========= Accidental Release Measures ==========
Spill Release Procedures:DIKE AND ABSORB SPILL ON INERT MATERIAL (SAND, EARTH, ETC.).TRANSFER TO CONTAINERS FOR DISPOSAL. REMOVE CONTAMINATED CLOTHING AND WASH AFFECTED SKIN AREAS WITH SOAP AND WATER. WASH CLOTHING BEFORE REU SE.
============= Handling and Storage ==============
Handling and Storage Precautions:AVOID SKIN CONTACT.MAY CAUSE ALLERGIC REACTION.WASH EXPOSED AREA WITH SOAP & WATER AFTER HANDLING.STORE INDOORS IS A COOL,DRY AREA WITH ADEQUATE VENT. Other Precautions:MAX STORAGE TEMPERATURE IS 35C.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED. WEAR RESPIRATOR (MSHA/NIOSH APPROVED) SUITABLE FOR CONCENTRATIONS OF AIR CONTAMINANT ENCOUNTERED. Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves

Eye Protection: SAFETY GLASSES (ANSI Z-87.1) Other Protective Equipment: SAFETY SHOWER AND EYEWASH FACILITY. Supplemental Safety and Health NOTE TO PHYSICIAN:ALLERGIC DERMATITIS OR RESPIRATORY RESPONSE IN SUSCEPTIBLE INDIVIDUALS MAY BE DELAYED. IT MAY APPEAR AFTER WEEKS OR EVEN MONTHS OF FREQUENT AND PROLONGED CONTACT. ======== Physical/Chemical Properties =========== Vapor Pres:< 1 @ 20C Vapor Density:> 1 Spec Gravity: 1.05 Evaporation Rate & amp; Reference:< 1 (BUTYL ACETATE =1) Solubility in Water:MODERATE Appearance and Odor:FAINT AMBER COLOR LIQUID;CHARACTERISTIC ODOR. Percent Volatiles by Volume:NIL ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid: EXCESSIVE HEAT Hazardous Decomposition Products: CARBON MONOXIDE AND/OR CARBON DIOXIDE, HYDROCARBON AND ANILINE. Conditions to Avoid Polymerization: STRONG OXIDIZING MATERI ALS ======= Disposal Considerations =============================

:IMPERVIOUS (PLASTIC)

Waste Disposal Methods:INCINERATE LIQUID. LANDFILL OR INCINERATE CONTAMINATED DIKING MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be a ccurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.