

AEROFIL TECHNOLOGY, INC. -- PROTECTIVE COATING & BEAUTIFIER COMPOUND --
8030-01-103-2868

=====
Product Identification
=====

Product ID:PROTECTIVE COATING & BEAUTIFIER COMPOUND

MSDS Date:10/24/1989

FSC:8030

NIIN:01-103-2868

MSDS Number: BJZKN

=== Responsible Party ===

Company Name:AEROFIL TECHNOLOGY, INC.

Address:225 INDUSTRIAL DRIVE

City:SULLIVAN

State:MO

ZIP:63080

Country:US

Info Phone Num:314-4

68-5551

Emergency Phone Num:314-468-5551

CAGE:AER0F

=== Contractor Identification ===

Company Name:AEROFIL TECHNOLOGY, INC

Address:225 INDUSTRIAL DRIVE

Box:City:SULLIVAN

State:MO

ZIP:63080

Country:US

Phone:314-468-5551,800-535-5053

CAGE:AER0F

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Inges

tion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE MILD EYE IRRITATION. MAY
CAUSE MILD SKIN IRRITATION.

Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION.

=====
First Aid Measures
=====

First Aid:SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER FOR 5
MIN. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

=====
Fire Fighting Measures
=====

Flash Point:N

ONE

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA

=====
Accidental Release Measures
=====

Spill Release Procedures:WIPE, SCRAPE, OR SOAK WITH ABSORBANT MATERIAL
& PUT IN CONTAINER FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA. KEEP
CONTAINER CLOSED WHEN NOT USING.

Other Precautions:AVOID CONTACT WITH SKIN AND EYES.

=====
Exposure Controls/Personal P
rotection
=====

Ventilation:LOCAL EXHAUST SUFFICIENT.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES

Work Hygienic Practices:WASH HANDS AFTER USE. EYE WASH STATION
RECOMMENDED.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Spec Gravity:.998 @ 25C

Evaporation Rate & Reference:< 1 (BUTYL ACETATE=1)

Solubility in Water:SOLUBLE @ 20C

Appearance a

nd Odor:WHITE, ODORLESS LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CARBON DIOXIDE, SILICON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.