View NSN Online: https://aerobasegroup.com/nsn/8030-00-145-0151

CHEMICAL COMMODITIES AGENCY -- POLYVINYL CHLORIDE PLASTISOL 44D-58A 8030-00-145-0151

Product ID:POLYVINYL CHLORIDE PLASTISOL 44D-58A

MSDS Date:02/22/1991

FSC:8030

NIIN:00-145-0151

Kit Part:Y

MSDS Number: BJZRT === Responsible Party ===

Company Name: CHEMICAL COMMODITIES AGENCY

Address:27447 PACIFIC STREET

City:HIGHLAND

State:CA

ZIP:92346-2640 Country:US

Info P

hone Num:714-864-2310

Emergency Phone Num:714-864-2310 Preparer's Name:C.A. EISENHARD

CAGE:60777

=== Contractor Identification ===

Company Name: CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

======= Composition/Information on Ingredients ========

Ingred Name: DIBASIC LEAD PHTHALATE

CAS:69011-06-9

Fraction by Wt: 2.75% PB

Other REC Limits: NONE SPECIFIED

OSHA PEL:0.05 MG/M3

ACGIH TLV:0.

Handling and

============ Hazards Identification =============
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EFFECTS GENERALLY SEEN AFTER LONG TERM EXPOSURE. SHORT TERM HIGH LEVEL EXPOSURE MAY BE POISONOUS. SYMPTOMS: TIREDNESS, DECREASED APPETITE, METALLIC TASTE & STOMACH CRAMPS RESEMBLING COLIC(INTERMITTENT). TRUE MUSCLE WEAKNESS, INTENSE HEADACHE, CONVULSIONS, EVEN DEATH. KIDNEY DAMAGE. LEAD CROSSES PLACENTA. Effect
s of Overexposure:CONTACT WITH SKIN OR EYES:PROLONGED EXPOSURE OR CONTACT CAN CAUSE SEVERE DAMAGE TO THE BLOOD, GASTROINTESTINAL, NERVOUS & REPRODUCTIVE SYSTEMS(ALSO IF ABSORBED THROUGH SKIN). SWALLOWED:HARMFUL OR FATA L LEAD POISONING CAN RESULT FROM INGESTION.
======================================
First Aid:EYE CONTACT:IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN CONTACT:WASH WELL WITH SOAP & WATER. INHALED: REMOVE TO FRESH AIR & CALL A PHYSICIAN. SWALLOWED:INDUCE VOMITING. USE SYRUP OF IPE CAC-ONE OUNCE FOLLOWED BY EIGHT OUNCES OF WATER. CALL A PHYSICIAN AT ONCE.
======================================
Flash Point Method:CC Flash Point:415F,213C Lower Limits:0.4 Extinguishing Media:WATER SPRAY, FOAM, CARBON DIOXIDE, DRY CHEMICAL Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING CHEMICAL FIRES. Unusual Fire/Explos ion Hazard:FIRE MAY CAUSE THERMAL DECOMPOSITION RESULTING IN RELEASE OF HCL, ACETIC ACID, CO & TOXIC METAL FUMES. CLOSED CONTAINERS MAY EXPLODE IF TEMPS ARE ABOVE BOILING
======== Accidental Release Measures ==========
Spill Release Procedures:COVER SPILL WITH VERMICULITE OR OTHER ABSORBENT MATERIAL. TRANSFER TO CONTAINER, IDENTIFIED AS HAZARDOUS WASTE CONTAINER FOR DISPOSAL.
======================================

Storage Precautions:STORE IN COOL DRY PLACE. ELEVATED TEMPERATURES THICKEN PRODUCT & SHORTEN USEFUL LIFE. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE REQUIRED Ventilation: LOCAL EXHAUST RECOMMENDED FOR PLASTISOL CURING AREAS. Protective Gloves: IMPERVIOUS NEOPRENE OR SIMILAR Eve Protection: SPLASH PROOF GLASSES W/CHEMICAL HANDLING Other Protective Equipment: NONE REQUIRED. USE IMPERVIOUS GLOVES FOR CLEAN UP. Work Hygienic Practices: AVOID EXCESSIVE CONTACT WITH SKIN. WASH HANDS WITH SOAP & WATER AFTER CONTACT, BEFORE EATING, DRINKING OR SMOKING. Supplemental Safety and Health ======== Physical/Chemical Properties ============ HCC:N1 Boiling Pt:B.P. Text:410F,210C Vapor Pres:NIL Vapor Density:1 Spec Gravity: 1.0-1.4 Evaporation Rate & Description Rate & Reference: NEGLIGIBLE Solubility in Water: NEGLIGIBLE Appearance and Odor: SMOOTH THICK BLACK LIQUID WITH FAINT ODOR ========= Stability and Reactivity Data === Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS Stability Condition to Avoid: ELEVATED TEMPERATURES Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN CHLORIDE, ACETIC ACID & TOXIC METAL FUMES. ======= Disposal Considerations ============ Waste Disposal Methods: IDENTIFY AS HAZARDOUS WASTE & DETERMINE LOCAL

Waste Disposal Methods:IDENTIFY AS HAZARDOUS WASTE & DETERMINE LOCAL REQUIREMENTS FOR DISPOSAL. DISPOSE OF ALL WASTE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situatio

n.