View NSN Online: https://aerobasegroup.com/nsn/7930-00-633-9849

Product ID:SWEEP COMP,TYII,SAWDUST,SAND,WATER,WAX EMUL

MSDS Date:05/01/1990

FSC:7930

NIIN:00-633-9849

MSDS Number: BJZWG === Responsible Party === Company Name: OSSIAN, INC.

Address:635 SOUTH ELMWOOD AVE.

City:DAVENPORT

State:IA ZIP:52802 Country:US

Info Phone Num:319-324-3381

Emergen

cy Phone Num:319-324-3381 Preparer's Name:KEN OSSIAN

CAGE:OSSAI

=== Contractor Identification === Company Name: OSSIAN, INC.

Address:635 SOUTH ELMWOOD AVE.

City:DAVENPORT

State:IA ZIP:52802 Country:US

Phone:319-324-3381

CAGE:OSSAI

======= Composition/Information on Ingredients ========

Ingred Name: PARAFFIN WAX

CAS:8002-74-2

RTECS #:RV0350000 Fraction by Wt: 15-20%

OSHA PEL:2 MG/M3 (FUME)

ACGIH TLV:2 MG/M3 (FUME); 9192

Ingred Name: CELLULOSE (PAPER FIBER)

CAS:9004-34-6 RTECS #:FJ569

1460 Fraction by Wt: 18-45% OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3; 9192 Ingred Name:SAND CAS:112945-52-5 RTECS #: VV7310000 Fraction by Wt: 40-50% ========== Hazards Identification =========================== Health Hazards Acute and Chronic:ALLERGIC DERMATITIS, USUALLY PRECEDED BY CONTACT DERMATITIS, MAY OCCUR AND SPREAD BEYOND AREAS OF DIRECT CONTACT. First Aid:EYES: WASH WITH RUNNING WATER FOR 15 MINU TES AND GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER AND LAUNDER CONTAMINATED CLOTHING, INGESTION: DO NOT INDUCE VOMITING AND GET MEDICAL ATTENTION. ============= Fire Fighting Measures ======================== Flash Point:415F,213C Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG Fire Fighting Procedures: USE WATER SPRAY TO COOL FIRE EXPOSED SURFACES TO PROTECT PERSONNEL. Unusual Fire/Explosion Hazard: RESPIRATORY PROTECTION REQUIRED FOR FIRE FIGHTING P ERSONNEL. ======== Accidental Release Measures ============ Spill Release Procedures: COLLECT BY SCOOPING UP OR SWEEPING. DO NOT ALLOW TO DISCHARGE INTO WATERWAY OR SEWER SYSTEM.

============= Handling and Storage ==========================

AVOID WELDING, BURNING, ETC.

EATING, DRINKING OR SMOKING.

====== Ex

Handling and Storage Precautions: DO NOT STORE IN AREAS OF EXTREME HEAT.

Other Precautions: ALWAYS WASH HANDS AND FACE WITH SOAP AND WATER BEFORE

posure Controls/Personal Protection =======
Respiratory Protection:NONE REQUIRED Ventilation:LOCAL EXHAUST ADEQUATE Protective Gloves:PLASTIC OR COTTON Eye Protection:GLASSES OR GOGGLES Other Protective Equipment:SHOES AND CLOTHING TO AVOID PROLONGED SKIN CONTACT. Supplemental Safety and Health
======== Physical/Chemical Properties =========
HCC:V7 Spec Gravity:.66 Solubility in Water:INSOLUBLE Appearance and Odor:SLIGHT ODOR; LIGHT TAN COLOR
======================================
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:AVOID HEAT, OPEN FLAMES AND OXIDIZING. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND OXIDES
======== Disposal Considerations ===========
Waste Disposal Methods:APPROVED SANITARY LANDFILL. DO NOT PERMIT ENTRY INTO WATER.
Disclaimer (provided with this information by the compiling agencies):
his information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.