View NSN Online: https://aerobasegroup.com/nsn/7930-01-056-9929

Product ID:LEMON SHINE-UP, PRESSURIZED MSDS Date:06/29/1990 FSC:7930 NIIN:01-056-9929 MSDS Number: BJZXY === Responsible Party === Company Name:S C JOHNSON & SON, INC City:RACINE State:WI ZIP:53403-5011 Country:US Info Phone Num:414-631-2777 Emergency Phone Num:414-631-2000 **Preparer's Name** :TERRY A. MEYERS CAGE:0U826 === Contractor Identification === Company Name: S C JOHNSON & SON INC/PROF WAX DIV Address:1525 HOWE ST City:RACINE State:WI ZIP:53403 Country:US Phone:800-725-6737/414-886-1480 INTNL# CAGE:0U826 Company Name:SC JOHNSON AND SON INC Address:1525 HOWE ST Box:City:RACINE State:WI ZIP:53403-2236 Country:US Phone:800-725-6737 CAGE:32204

Ingred Name:ISOPARAFFINIC HYDROCARBON SOLVENT CAS:64475-85-0 RTECS # :PY8240000 Fraction by Wt: 10-20% Other REC Limits:300 PPM PER EXXON

Ingred Name:PROPANE CAS:74-98-6 RTECS #:TX2275000 Fraction by Wt: 5-10% Other REC Limits:NONE SPECIFIED OSHA PEL:1000 PPM ACGIH TLV:ASPHYXIANT; 9192

Ingred Name:SILICONE FLUID CAS:63148-62-9 Fraction by Wt: 1-3% Other REC Limits:NONE SPECIFIED

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 70-80% Other REC Limits:NONE SPECIFIED

Ingred Name:ISOBUTANE (REPORTING REQUIREMENTS PA, NJ, MA) CAS:75-28-5 RTECS #: TZ4300000 Fraction by Wt: 5-10% Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Health Hazards Acute and Chronic:DIRECT CONTACT OF PRODUCT WITH EYES CAN CAUSE IRRITATION.

First Aid:FLUSH EYES WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL AID.

====== Fire Fighting Measures ====

Flash Point:NR Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:NORMAL FIRE FIGHTING PROCEDURES MAY BE USED. FIGHT FIRE FROM MAXIMUM DISTANCE OR PROTECTED AREA. COOL & USE CAUTION WHEN APPROACHING/HANDLING EXPOSED CONTAINERS Unusual Fire/Explosion Hazard:CONTAINER MAY BURST IN HEAT OF FIRE.

Spill Release Procedures: ELIMINATE ALL IGNITION SOURCES. ABSORB WITH OIL-DR

I OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND CONTAINERIZE.

Handling and Storage Precautions:STORE IN COOL, DRY PLACE W/GOOD VENTILATION. DO NOT FREEZE. DO NOT PRESSURIZE, CUT, HEAT, WELD OR FLAME EXPOSE, EXPLOSION MAY OCCUR. AVOID OVERSPRAY.
Other Precautions:DO NOT USE NEAR FIRE, FLAME, PILOT LIGHT. DO NOT SET ON STOVE/RADIATOR OR KEEP WHERE TEMP EXCEEDS 120F, CONTAINER MAY BURST. DO NOT PUNCTURE/TH
ROW IN FIRE. KEEP OUT OF REACH OF CHILDREN. NEVER USE ON FLOORS OR WALKED ON SURFACES.

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL CONDITIONS. Ventilation:GENERAL ROOM VENTILATION ADEQUATE. Work Hygienic Practices:USE GOOD PERSONAL HYGIENE PRACTICES. Supplemental Safety and Health

HCC:V3 Boiling Pt:B.P. Text:NA Vapor Pres:ND Vapor Densi ty:ND Spec Gravity:0.9 Evaporation Rate & amp; Reference:NA Solubility in Water:NEGLIGIBLE Appearance and Odor:DISPENSED AS CREAM SPRAY WITH LEMON ODOR. Percent Volatiles by Volume:NA

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION.

Waste Disposal Methods:DISPOSE OF A EROSOL CAN BY WRAPPING AND PLACING IN TRASH. DO NOT PUNCTURE OR BURN CONTAINER. DISPOSE OF SPILLED RESIDUES AND MULTIPLE UNITS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability

for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.