

EMERSON/CUMING SPECIALTY POLYMER FMLY GRACE W R CO -- EASTMAN 910 --
8040-00-142-9193

===== Product Identification =====

Product ID:EASTMAN 910

MSDS Date:05/22/1985

FSC:8040

NIIN:00-142-9193

MSDS Number: BKHFG

=== Responsible Party ===

Company Name:EMERSON/CUMING SPECIALTY POLYMER FMLY GRACE W R CO

Address:869 WASHINGTON ST

City:CANTON

State:MA

ZIP:02021-2513

Country:US

Info Phone Num:800-225-993

6

Emergency Phone Num:800-225-9936

CAGE:EO984

=== Contractor Identification ===

Company Name:EMERSON/CUMING SPECIALTY POLYMER FMLY GRACE W R CO

Address:869 WASHINGTON ST

City:CANTON

State:MA

ZIP:02021-2513

Country:US

Phone:800-225-9936

CAGE:EO984

Company Name:GRACE W R & CO EMERSON & CUMING DEWEY & ALMY CHEM

Address:869 WASHINGTON ST

City:CANTON

State:MA

ZIP:02021-2513

Country:US

Phone:617-935-4850

CAGE:04552

Company Name:LOCKHEED AERONAUTICAL SYSTEMS

Address:2555 N HOLLYWOOD WAY

Box:551

City:BU

RBANK
State:CA
ZIP:91520-0001
Country:US
Phone:818-847-6121
CAGE:36659

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL 2-CYANOACRYLATE TRICARBONYL, MN
CAS:137-05-3
RTECS #:AS7000000
Fraction by Wt: 90%
Other REC Limits:2 PPM
ACGIH TLV:9.1 MG/CUM (-SKIN)

Ingred Name:MODIFYING AGENT
Fraction by Wt: 10%

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:N
TP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: VAPORS MAY BE IRRITATING
TO EYES. EYES: CONTACT MAY RESULT IN BONDING OF EYELIDS. SKIN:
CONTACT MAY RESULT IN BONDING TO SKIN. INGESTION: HARMFUL.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, BONDING OF EYELIDS/TO SKIN.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH W/WATER 15 MIN. SKIN: FLUSH W/WATER & AVOID
EXCESSIVE FORCE TO REMOVE MATERIA
L. INHALATION: REMOVE TO FRESH
AIR. INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:>174F
Extinguishing Media:CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:COOL CONTAINERS W/WATER. WEAR SELF-CONTAINED
BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:CONTACT W/WATER WILL INITIATE
POLYMERIZATION, W/RAPID RISE IN TEMP, POSSIBLE RUPTURING OF
CONTAINER & AUTOIGNITION.

===

===== Accidental Release Measures =====

Spill Release Procedures:SMALL: WIPE UP/ABSORB W/VERMICULITE/OTHER ABSORBENT. USE W/ADEQUATE VENTILATION. COLLECT IN SEALED CONTAINERS. WASH AREA W/SOAPY WATER & RINSE. LARGE: TURN ON VENTILATION EQUIPMENT TO EVACUATE FUMES. DIKE AREA. SHOVEL/PUMP TO DRUM/SALVAGE TANK. (SUPP

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE. KEEP FROM

HEAT & OPEN FLAME. DON'T EXPOSE TO MOISTURE, IT WILL MAKE PRODUCT UNUSABLE. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:USE W/ADEQUATE VENTILATION & FIRE PRECAUTIONS. AVOID INHALATION OF VAPORS & CONTACT W/SKIN & EYES. HANDLE AS COMBUSTIBLE MATERIAL.

===== Exposure Controls/Personal Protection =====

Ventilation:FLEXIBLE DUCTWORK SHOULD EXTEND TO AREAS OF HIGH CONCENTRATION TO PREVENT LOCAL BUILDUP OF VAPOR.

Protective Gloves:AS REQUIRED

Eye Prot

ection:GOGGLES W/SIDE SHIELDS

Other Protective Equipment:PROTECTIVE CLOTHING

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>475F

Vapor Pres:1

Spec Gravity:1.1

Solubility in Water: