

P.O.B INC -- 8030-00-252-3391 SEALING COMPOUND-GASKET TYPE II -- 8030-00-252-3391

=====
Product Identification
=====

Product ID:8030-00-252-3391 SEALING COMPOUND-GASKET TYPE II

MSDS Date:12/04/1989

FSC:8030

NIIN:00-252-3391

MSDS Number: BKHKB

=== Responsible Party ===

Company Name:P.O.B INC

Address:11100 KENWOOD RD

City:CINCINNATI

State:OH

ZIP:45242-1818

Country:US

Info Phone Num:513-793-6336/633

2

Emergency Phone Num:513-793-6332/6336

CAGE:KO865

=== Contractor Identification ===

Company Name:P.O.B INC

Address:11100 KENWOOD RD

City:CINCINNATI

State:OH

ZIP:45242-1818

Country:US

Phone:513-793-6336/6332

CAGE:KO865

Company Name:P.O.B. INC.

Address:11100 KENWOOD ROAD

Box:City:CINCINNATI

State:OH

ZIP:45242

Country:US

Phone:513-793-6332

CAGE:2A214

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPROPANOL (ISOPROPYL ALCOHOL), 2-PROPANOL, DIMETHYL
CARBINOL

CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 7.4%
Other REC Limits:400 PPM
OSHA PEL:400 PPM
ACGIH TLV:400 PPM

Ingred Name:AMMONIUM HYDROXIDE, AQUA AMMONIA
CAS:1336-21-6
RTECS #:BQ9625000
Fraction by Wt: 0.3%
Other REC Limits:25 PPM
ACGIH TLV:25 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:PROPYLENE GLYCOL METHYL ETHER *95-1*
CAS:28677-93-2
Fraction by Wt: 0.3%

Ingred Name:CASTOR OIL
CAS:8001-79-4
RTECS #:FI4100000
Fraction by Wt: 31%

Ingred Name:ALUMINOSILICATE *95-1*
CAS
:1327-36-2
Fraction by Wt: 31%

Ingred Name:CARBONIC ACID, CALCIUM SALT (1:1), CALCIUM CARBONATE,
DURAMITE
CAS:471-34-1
RTECS #:FF9335000
Fraction by Wt: 27.1%
Other REC Limits:10 MG/CUM (DUST)

Ingred Name:CARBON, ACTIVATED CARBON, GRAPHITE
CAS:7440-44-0
RTECS #:FF5250100
Fraction by Wt: 0.3%
OSHA PEL:10 MG/CUM
ACGIH TLV:10 MG/CUM

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 2.6%

=====
Hazards Identification
=====

Routes of Entry: In

halation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN: IRRITATION. INGESTION: KIDNEY
DAMAGE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:BLURRED VISION, IRRITATION, HEADACHE, VOMITING.

=====
===== First Aid Measures =====

First Aid:SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/LARGE AMOUNTS OF
WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN
ALL CA
SES.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:54F

Lower Limits:3.24

Upper Limits:20.6

Extinguishing Media:CO2, DRY CHEMICAL FOAM

Fire Fighting Procedures:WATER MAY BE USED TO COOL CONTAINERS.

Unusual Fire/Explosion Hazard:CANS WILL RUPTURE FROM EXTREME HEAT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES, BUILD DIKE/DAM
TO CONTAIN MATERIAL. ADD CLAY
S, SAND/VERMICULITE TO MATERIAL. USE
PLASTIC SCOOP TO PICK UP THE MATERIAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:NORMAL

Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF >TLV, RESPIRATORY PROTECTION IS REQUIRED.

Ventilation:PROVIDE MECHANICAL VENTILATION TO KEEP