

TACC INTERNATIONAL CORP. -- LA-132 -- 8040-00-515-2250

===== Product Identification =====

Product ID:LA-132
MSDS Date:07/01/1989
FSC:8040
NIIN:00-515-2250
MSDS Number: BKHNW
=== Responsible Party ===
Company Name:TACC INTERNATIONAL CORP.
Address:AIR STATION INDUSTRIAL PARK
Box:390
City:ROCKLAND
State:MA
ZIP:02370
Country:US
Info Phone Num:617-878-7015
Emergency Phone Num:800-424-9300 CHEMTREC
CAG
E:0HZU1

=== Contractor Identification ===
Company Name:TACC INTERNATIONAL CORP
Address:AIR STATION INDUSTRIAL PARK
Box:City:ROCKLAND
State:MA
ZIP:02370
Country:US
Phone:781-878-7015
CAGE:0HZU1

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 45-50%
Other REC Limits:590 MG/CUM
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:50

00 LBS

Ingred Name:ETHYL ACETATE (SARA III)

CAS:141-78-6

RTECS #:AH5425000

Fraction by Wt: 20-25%

Other REC Limits:400 PPM

OSHA PEL:400 PPM

ACGIH TLV:400 PPM; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 7-10%

Other REC Limits:100 PPM

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

Routes of Entry: In

halation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: HEADACHE, DIZZINESS,
NAUSEA, UPPER RESPIRATORY DRYNESS OR IRRITATION, DROWSINESS, MENTAL
DEPRESSION, NARCOSIS, DIFFICUTLY BREATHING. EYES: IRRITATION. SKIN:
REMOVAL OF SKIN OILS, IRRITATIO N, DERMATITIS, SENSITIZATION.
INGESTION: HARMFUL/FATAL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: HEADACHE, DIZZINESS, NAUSEA, UP
PER

RESPIRATORY DRYNESS OR IRRITATION, DROWSINESS, MENTAL DEPRESSION,
NARCOSIS, DIFFICULTY BREATHING. SKIN: REMOVAL OF SKIN OILS,
IRRITATION, DERMATITIS, SEN SITIZATION. EYES: IRRITATION.
INGESTION: HARMFUL/FATAL.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP &
WATER, APPLY A MILD SKIN CREAM. INGESTION: OBTAIN MEDICAL ATTENTION
IN ALL CASES.

=====
===== Fire Fighting

Measures =====

Flash Point Method:CC

Flash Point:21F

Lower Limits:1.8%

Upper Limits:11%

Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER SPRAY OR FOG

Fire Fighting Procedures:USE AIR SUPPLIED RESCUE EQUIPMENT FOR ENCLOSED AREA. WATER TENDS TO SPREAD BURNING LIQUID IF LARGE AMOUNTS USED.

Unusual Fire/Explosion Hazard:EXTREMELY FLAMMABLE. VAPORS MAY IGNITE EXPLOSIVELY/CAUSE FLASH FIRES.

===== Accidental Release Measures =====

Spill Release

Procedures:SMALL QUANTITIES MAY BE ABSORBED INTO AN APPROPRIATE ABSORBANT.

===== Handling and Storage =====

Handling and Storage Precautions:NO SMOKING. USE ADEQUATE CROSS VENTILATION SUFFICIENT TO REMOVE ODOR OF SOLVENT/VAPORS. ELECTRICALLY GROUND ALL CONTAINERS DURING TRANSFER.

Other Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE 60-95F OUT OF SUN.

===== Exposure Controls/Personal Protection =====

Respiratory P

rotection:IF VAPORS EXCEED TLV, NIOSH APPROVED ORGANIC MASK.

Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP AIR

Spec Gravity:0.892

Evaporation Rate & Reference:(BU AC = 1):