View NSN Online: https://aerobasegroup.com/nsn/9150-00-943-6880 HUSK-ITT CORPORATION -- 71527 HUSKEY MOLYPASTE - 60 (1 GAL.) -- 9150-00-943-6880 Product ID:71527 HUSKEY MOLYPASTE - 60 (1 GAL.) MSDS Date:03/11/1987 FSC:9150 NIIN:00-943-6880 MSDS Number: BKHTB === Responsible Party === Company Name: HUSK-ITT CORPORATION Address:1247 E. HILL ST City:SIGNAL HILL State:CA ZIP:90806 Info Phone Num:(213) 426-1785 **Emergency Phone Num** :(213) 426-1785 CAGE:HUSKE === Contractor Identification === Company Name: HUSK-ITT CORPORATION Address:1247 E. HILL ST City:SIGNAL HILL State:CA ZIP:90806 Phone: (213) 426-1785 CAGE:HUSKE ======= Composition/Information on Ingredients ======== Ingred Name: NON-HAZARDOUS FOR INGREDIENTS Fraction by Wt: 100% ========= Hazards Identification =============== Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INGESTION: IRRITATION. SKIN/EYSES: IRRITATION. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: INGESTION: TREAT AS OIL. SKIN/EYES: IRRITATION. First Aid:INGESTION: TREAT AS OIL. EYES/SKIN: FLUSH W/WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES. Flash Point Method:COC

Flash Point:380F

Extinguishing Media:CO

========= Accidental Release Measures ==========
Spill Release Procedures:PICK UP EXCESS WASH DOWN W/SOLVENT OR STRONG DETERGENT.
======================================
Handling and Storage Precautions:STANDARD INDUSTRIAL PRACTICES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: AS NEED ED Ventilation: LOCAL EXHAUST Protective Gloves: AS NEEDED Eye Protection: GLASSES Other Protective Equipment: AS NEEDED Work Hygienic Practices: STANDARD METHODS. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
Spec Gravity:1.8 Solubility in Water:INSOLUBLE Appearance and Odor:DARK PASTE LIKE MATERIAL - NO ODOR.
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES OXIDIZING AGENTS Stabil ity Condition to Avoid:OPEN FLAME, ARC WELDING, HIGH TEMPERATURES
Hazardous Decomposition Products:CO2, CO, METALLIC OXIDES
======= Disposal Considerations ==========
Waste Disposal Methods:LANDFILL OR BURN ACCORDING TO LOCAL, STATE & FEDERAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, e

2, FOAM, DRY CHEMICAL Fire Fighting Procedures:TREAT AS OIL FIRE - USE SELF CONTAINED BREATHING APPARATUS. xpressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.