

SHELL OIL COMPANY,PRODUCT SAFETY & COMPLIANCE -- DIALA OIL AX TYPE 2 --
9160-00-075-9816

===== Product Identification =====

Product ID:DIALA OIL AX TYPE 2

MSDS Date:09/04/1989

FSC:9160

NIIN:00-075-9816

MSDS Number: BKJDL

=== Responsible Party ===

Company Name:SHELL OIL COMPANY,PRODUCT SAFETY & COMPLIANCE

Box:4320

City:HOUSTON

State:TX

ZIP:77210

Country:US

Info Phone Num:713-241-4819

Emergency Pho

ne Num:713-473-9461/800-424-9300(CHEMTREC)

Preparer's Name:J.C. WILLETT

CAGE:54527

=== Contractor Identification ===

Company Name:SHELL OIL COMPANY

Box:2463

City:HOUSTON

State:TX

ZIP:77210

Country:US

Phone:800-231-6950

CAGE:54527

Company Name:TULSTAR PRODUCTS INC

Address:1722 S CARSON, SUITE 2907

Box:City:TULSA

State:OK

ZIP:74119

Country:US

Phone:918-587-7878/FAX -3297 (DAVID COOK)

CAGE:0F2M5

===== Composition/Information on Ingredients =====

Ingred Name:HYDROTREATED MIDDLE P

ETROLEUM DISTILLATE
CAS:64742-46-7
RTECS #:JN9379645
Fraction by Wt: 70- 100%
Other REC Limits:NONE SPECIFIED

Ingred Name:MINERAL OIL - SEVERELY HYDROTREATED LIGHT NAPHTHENIC
DISTILLATE
CAS:64742-53-6
RTECS #:PY8036000
Fraction by Wt: 0 - 30%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:2,6-DI-TERT-BUTYL-P-CRESOL
CAS:128-37-0
RTECS #:GO7875000
Fraction by Wt: 300F,>149C
Melt/Freeze Pt:M.P/F.P Text:-60F,-51C
Spec Gravity:0.883
Solubi
lity in Water:NEGLIGIBLE
Appearance and Odor:WHITE LIQUID. SLIGHT HYDROCARBON ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:EXCESSIVE HEAT AND OPEN FLAME
Hazardous Decomposition Products:CARBON MONOXIDE AND OTHER UNIDENTIFIED
ORGANIC COMPOUNDS MAY BE FORMED UPON COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:DI
SPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL
APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advi

ce to verify and
assume responsibility for the suitability of this information to their
particular situation.