

EXXON CO USA, A DIV OF EXXON CORP. -- 200 SOL EXT COASTAL PALE -- 9150-00-231-6662

===== Product Identification =====

Product ID:200 SOL EXT COASTAL PALE

MSDS Date:06/01/1989

FSC:9150

NIIN:00-231-6662

MSDS Number: BKJHG

=== Responsible Party ===

Company Name:EXXON CO USA, A DIV OF EXXON CORP.

Address:800 BELL ST

Box:2180

City:HOUSTON

State:TX

ZIP:77252-2180

Country:US

Info Phone Num:713-656-2443

Emergency Phone Num:713-656-3424

CAGE:29700

=== Contractor Identification ===

Company Name:EXXON COMPANY U.S.A.

Box:2180

City:HOUSTON

State:TX

ZIP:77252-2180

Country:US

Phone:713-656-5949 / 713-656-3424

CAGE:29700

Company Name:VINELAND WAX SPECIALTIES INC WAX PROCESSING

Address:S RAILROAD BLVD

Box:City:MINOTOLA

State:NJ

ZIP:08341

Country:US

Phone:609-697-3941 (OUT OF BUSINESS)

CAGE:63400

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENT REFINED HEAVY NAPH

THENIC DISTILLATE, PETROLEUM  
CAS:64741-96-4  
RTECS #:PY8040000  
Fraction by Wt: >90%  
Other REC Limits:NONE SPECIFIED

Ingred Name:PROPRIETARY ADDITIVES

Fraction by Wt: 5000 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-EYE:MAY CAUSE

IRRITATION.SKIN:PROLONGED/REPEATED SKIN CONTACT TENDS TO REMOVE  
SKIN OILS AND CAUSE IRRITATION.PRODUCT HAS A LOW ORDER OF ACUTE  
ORAL AND DERMAL TOXI

CITY,BUT MINUTE AMOUNTS ASPIRATE D INTO THE

LUNGS DURING INGESTION OR VOMITING MAY CAUSE LUNG INJURY & POSSIBLY  
DEATH.

Explanation of Carcinogenicity:THE PRODUCT IS FORMULATED FROM BASE

STOCKS WHICH ARE SEVERELY/MILD HYDROTREATED,SEVERELY SOLVENT  
EXTRACTED

Effects of Overexposure:PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE  
SKIN IRRITATION.SEE HEALTH HAZARDS SECTION.

Medical Cond Aggravated by Exposure:NON RECOGNIZED.

===== First Aid Measures =====  
=====

First Aid:INHALATION:REMOVE TO FRESH AIR.GIVE OXYGEN/CPR IF NEEDED.GET  
MEDICAL ATTENTION.EYE:FLUSH WITH WATER FOR 15 MINUTES OR UNTIL  
IRRITATION SUBSIDES.IF IRRITATION PERSISTS,CALL A  
PHYSICIAN.SKIN:REMOVE ANY CONTAMINATED CLOTHING AND WASH SKIN  
THOROUGHLY WITH SOAP & WATER.INGESTION:DO NOT INDUCE VOMITING.CALL  
A PHYSICIAN IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:370F,188C

Autoignition

Temp:Autoignition Temp Text:>500F

Lower Limits:0.9

Upper Limits:7

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL  
AND VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS.

Fire Fighting Procedures:USE SUPPLIED-AIR BREATHING EQUIPMENT FOR  
ENCLOSED/CONFINED SPACES WHEN FIGHTING FIRE OF THIS PRODUCT.USE  
WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FUMES,SMOKE,CARBON MONOXIDE,SULFUR  
OXIDES,ALDEHYDES AND OTHER DECOMPOSITION PRODUCT

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER FREE PRODUCT.ADD SAND,EARTH OR OTHER SUITABLE ABSORBENT TO SPILL AREA.MINIMIZE BREATHING VAPORS.MINIMIZE SKIN CONTACT.OPEN ALL WINDOWS & DOORS.KEEP PRODUCT OUT OF SEWERS AND WATERCOURSES BY DI KING OR IMPOUNDING,OTHERWISE CALL AUTHORITIES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Stora

ge Precautions:STORE IN A COOL,DRY PLACE WITH ADEQUATE VENTILATION.KEEP AWAY FROM OPEN FLAMES, HIGH TEMPERATURES AND STRONG OXIDANTS.

Other Precautions:MINIMIZE BREATHING VAPOR,MIST OR FUMES.AVOID PROLONGED/REPEATED SKIN CONTACT.LAUNDER/DRY-CLEAN CONTAMINATED CLOTHING BEFORE RE-USE.REMOVE & CLEAN CONTAMINATED SHOES BEFORE RE-USE.PRODUCT IS READILY RE MOVED FROM SKIN BY WATERLESS CLEANERS.

===== Exposure Controls/Personal Protection =====

Respiratory Protec

tion:USE SUPPLIED-AIR RESPIRATORY PROTECTION IN CONFINED OR ENCLOSED SPACES,IF NEEDED.

Ventilation:USE LOCAL EXHAUST TO CAPTURE VAPOR,MISTS OR FUMES,IF NECESSARY.

Protective Gloves:CHEMICAL RESISTANT GLOVES

Eye Protection:SPLASH GOGGLES OR FACE SHIELD

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.CHEMICAL-RESISTANT APRON OR OTHER IMPERVIOUS CLOTHING.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATE

D CLOTHING OR

FOOTWEAR.

Supplemental Safety and Health

"EMPTY" CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS.DO NOT PRESSURIZE,CUT,WELD,BRAZE,SOLDER,DRILL,GRIND OR EXPOSE SUCH CONTAINERS TO HEAT,FLAME,SPARKS,STATIC ELECTRICITY OR OTHER SOURCES OF IGNITIO N;THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.DO NOT CLEAN THEM.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:480F,249C

Melt/Freeze Pt:M.P/F.P Text:10F,-12C

Vapor Pres:5

pec Gravity:0.89  
pH:NEUTR.  
Evaporation Rate & Reference: