View NSN Online: https://aerobasegroup.com/nsn/9150-00-231-6662

EXXON CO USA, A DIV OF EXXON CORP. -- 200 SOL EXT COASTAL PALE -- 9150-00-231-6662

Product ID:200 SOL EXT COASTAL PALE MSDS Date:06/01/1989 FSC:9150 NIIN:00-231-6662 MSDS Number: BKJHG === Responsible Party === Company Name: EXXON CO USA, A DIV OF EXXON CORP. Address:800 BELL ST Box:2180 **City:HOUSTON** State:TX ZIP:77252-2180 Country:US Info Phone Num:713-656-2443 Emergency Phone Num:713-656-3424 CAGE:29700 === Contractor Identification === Company Name: EXXON COMPANY U.S.A. Box:2180 **City:HOUSTON** State:TX ZIP:77252-2180 Country:US Phone:713-656-5949 / 713-656-3424 CAGE:29700 Company Name: VINELAND WAX SPECIALTIES INC WAX PROCESSING Address:S RAILROAD BLVD Box:City:MINOTOLA State:NJ ZIP:08341 Country:US Phone:609-697-3941 (OUT OF BUSINESS) CAGE:63400

Ingred Name:SOLVENT REFINED HEAVY NAPH

THENIC DISTILLATE, PETROLEUM CAS:64741-96-4 RTECS #:PY8040000 Fraction by Wt: >90% Other REC Limits:NONE SPECIFIED

Ingred Name: PROPRIETARY ADDITIVES Fraction by Wt: 5000 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-EYE:MAY CAUSE IRRITATION.SKIN:PROLONGED/REPEATED SKIN CONTACT TENDS TO REMOVE SKIN OILS AND CAUSE IRRITATION. PRODUCT HAS A LOW ORDER OF ACUTE ORAL AND DERMAL TOXI CITY, BUT MINUTE AMOUNTS ASPIRATE D INTO THE LUNGS DURING INGESTION OR VOMITING MAY CAUSE LUNG INJURY & POSSIBLY DEATH. Explanation of Carcinogenicity: THE PRODUCT IS FORMULATED FROM BASE STOCKS WHICH ARE SEVERELY/MILD HYDROTREATED, SEVERELY SOLVENT **EXTRACTED** Effects of Overexposure: PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION.SEE HEALTH HAZARDS SECTION. Medical Cond Aggravated by Exposure:NON RECOGNIZED.

First Aid:INHALATION:REMOVE TO FRESH AIR.GIVE OXYGEN/CPR IF NEEDED.GET MEDICAL ATTENTION.EYE:FLUSH WITH WATER FOR 15 MINUTES OR UNTIL IRRITATION SUBSIDES.IF IRRITATION PERSISTS,CALL A PHYSICIAN.SKIN:REMOVE ANY CONTAMINATED CLOTHING AND WASH SKIN THOROUGHLY WITH SOAP & WATER.INGESTION:DO NOT INDUCE VOMITING.CALL A PHYSICIAN IMMEDIATELY.

Flash Point Method:COC Flash Point:370F,188C Autoignition Temp:Autoignition Temp Text:>500F Lower Limits:0.9 Upper Limits:7 Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL AND VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS. Fire Fighting Procedures:USE SUPPLIED-AIR BREATHING EQUIPMENT FOR ENCLOSED/CONFINED SPACES WHEN FIGHTING FIRE OF THIS PRODUCT.USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:FUMES,SMOKE,CARBON MONOXIDE,SULFUR OXIDES,ALDEHYDES AND OTHER DECOMPOSITION PRODUCT Spill Release Procedures:RECOVER FREE PRODUCT.ADD SAND,EARTH OR OTHER SUITABLE ABSORBENT TO SPILL AREA.MINIMIZE BREATHING VAPORS.MINIMIZE SKIN CONTACT.OPEN ALL WINDOWS & DOORS.KEEP PRODUCT OUT OF SEWERS AND WATERCOURSES BY DI KING OR IMPOUNDING,OTHERWISE CALL AUTHORITIES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Stora

ge Precautions:STORE IN A COOL,DRY PLACE WITH

ADEQUATE VENTILATION.KEEP AWAY FROM OPEN FLAMES, HIGH TEMPERATURES AND STRONG OXIDANTS.

Other Precautions:MINIMIZE BREATHING VAPOR,MIST OR FUMES.AVOID PROLONGED/REPEATED SKIN CONTACT.LAUNDER/DRY-CLEAN CONTAMINATED CLOTHING BEFORE RE-USE.REMOVE & CLEAN CONTAMINATED SHOES BEFORE RE-USE.PRODUCT IS READILY RE MOVED FROM SKIN BY WATERLESS CLEANERS.

Respiratory Protec

tion: USE SUPPLIED-AIR RESPIRATORY PROTECTION IN

CONFINED OR ENCLOSED SPACES, IF NEEDED.

Ventilation: USE LOCAL EXHAUST TO CAPTURE VAPOR, MISTS OR FUMES, IF NECESSARY.

Protective Gloves: CHEMICAL RESISTANT GLOVES

Eye Protection: SPLASH GOGGLES OR FACE SHIELD

Other Protective Equipment: EYE WASH STATION AND SAFETY

SHOWER.CHEMICAL-RESISTANT APRON OR OTHER IMPERVIOUS CLOTHING.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND

RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATE

D CLOTHING OR

FOOTWEAR.

Supplemental Safety and Health

"EMPTY" CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS.DO NOT PRESSURIZE,CUT,WELD,BRAZE,SOLDER,DRILL,GRIND OR EXPOSE SUCH CONTAINERS TO HEAT,FLAME,SPARKS,STATIC ELECTRICITY OR OTHER SOURCES OF IGNITIO N;THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.DO NOT CLEAN THEM.

HCC:V6 Boiling Pt:B.P. Text:480F,249C Melt/Freeze Pt:M.P/F.P Text:10F,-12C Vapor Pres:5 S pec Gravity:0.89 pH:NEUTR. Evaporation Rate & Reference: