View NSN Online: https://aerobasegroup.com/nsn/5350-00-889-3435

NORTON CHEMPLAST -- CHEMFLUOR, TFE STOCK SHAPES -- 8030-00-889-3435

Product ID:CHEMFLUOR, TFE STOCK SHAPES MSDS Date:02/01/1986 FSC:8030 NIIN:00-889-3435 **MSDS Number: BKJRH** === Responsible Party === **Company Name:NORTON CHEMPLAST** Address:150 DEY RD **City:WAYNE** State:NJ ZIP:07470 Country:US Info Phone Num:201-696-4700 Emergency Phone Num:201-696-4700 CAGE:18632 === Contractor Identification === Company Name: NORTON PERFORMANCE PLASTICS CORP. Address:150 DEY RD Box:City:WAYNE State:NJ ZIP:07470-4670 Country:US Phone:973-696-4700 CAGE:18632 Ingred Name:NON-HAZARDOUS INGREDIENTS

Health Hazards Acute and Chronic:INHALATION (BREATHING): WHEN THERMALLY DECOMPOSED, TEFLON PTFE MAY CAUSE POLYMER FUME FEVER. INGESTION:

NOT TOXIC. SKIN CONTACT: NOT TOXIC. EYE CONTACT: MECHANICAL.

First Aid:INHALATION (BREATHING): SYMPTOMS OF POLYMER FUME FEVER-CHILLS, FEVER AND FLU LIKE. MOVE TO FRESH AIR. REFER TO A PHYSICIAN FOR TREATMENT. SKIN CONTACT: N/A (EXCEPT FOR HOT POLYMER-THERMAL BURNS) EYE C ONTACT: FLUSH WITH COLD WATER.

Flash Point:NONE Extinguishing Media:WATE R, CARBON DIOXIDE, FOAM, DRY CHEMICALS. Fire Fighting Procedures:DOES NOT BURN WITHOUT EXTERNAL FUEL SOURCE. IN FIRE SITUATION, SCBA & PROTECTIVE CLOTHING TO PROTECT FROM ACIDIC HYDROGEN FLUORIDE FUMES SHOULD BE USED.

Spill Release Procedures: SWEEP UP TO AVOID SLIPPING HAZARDS.

Handling and Storage Precautions: AVOID CONTAMINATION OF TOBACCO PRODU

CTS. AVOID 250 C TEFLON CAN PRODUCE TOXIC GASEOUS PRODUCTS. PROVIDE GOOD VENTILATION OR RESPIRATOR.

Other Precautions:STORAGE CONDITIONS: AVOID CONTAMINATION. KEEP CONTAINERS CLOSED.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE UNDER NORMAL CONDITIONS. Ventilation:LOCAL EXHAUST DURING PROCESSING. Protective Gloves:RECOMMENDED WHEN HANDLING HOT. Eye Protection:SAFETY GLASSES. Supplemental Safety and Health

================= Physical/

Solubility in Water:INSOLUBLE Appearance and Odor:WHITE POWDER, NO ODOR. Percent Volatiles by Volume:1.0

Stability Indicator/Materials to Avoid:YES ALKALI METALS, INTERHALOGEN COMPOUNDS. Stability Condition to Avoid:WILL BURN IN AN ATMOSPHERE OF 95% OXYGEN. Hazardous Decomposition Products:ABOVE 250 C TEFLON CAN EVOLVE TOXIC GASEOUS MATERIALS SUCH AS HYDROGEN FLUORIDE AND PERFLUORO HYDROCARBONS.

Waste Disposal Methods:LANDFILL PREFERRED, DISPOSAL METHODS MUST CONFORM TO FEDERAL, STATE AND LOCAL REGULATIONS. WITH INCINERATION, GASEOUS PRODUCTS MUST BE REMOVED BY ALKALINE SCRUBBING.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, exp

ressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.