View NSN Online: https://aerobasegroup.com/nsn/8030-00-933-7084

Product ID:B-360 MSDS Date:03/08/1991 FSC:8030 NIIN:00-933-7084 **MSDS Number: BKJRT** === Responsible Party === Company Name: CONCRETE SEALANTS, INC. Address:8917 S. PALMER ROAD Box:176 City:NEW CARLISLE State:OH ZIP:45344 Country:US Info Phone Num:513-845-2380 OR 513-845-8776 Emergency Phone Num:513-845-2380 OR 5 13-845-8776 CAGE:CONCR === Contractor Identification === Company Name: CONCRETE SEALANTS, INC Address:8917 S PALMER RD Box:176 City:NEW CARLISLE State:OH ZIP:45344 Country:US Phone:513-845-8776 OR 513-845-2330 CAGE:CONCR

Ingred Name:NON-HAZARDOUS INGREDIENTS

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: NO

HAZARD IN NORMAL INDUSTRIAL USE. EYES: REMOVE AS ABOVE, MAY CAUSE IRRITATION. SKIN: NO HAZARD IN NORMAL INDUSTRIAL USE. WASH HANDS WITH SOAP AND WATER; PRACTICE GOOD PERSONAL HYGIENE. I NGESTION: NO HAZARD IN NORMAL INDUSTRIAL USE.
======================================
First Aid:THIS PRODUCT IS AN INERT SOLID. IF IN EYE, REMOVE AS ONE WOULD ANY FOREIGN OBJECT.
======================================
Flash Point Method:COC Flash Point:400F,204C Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM. Fire Fighting Procedures:FIREFIGHTING PERSONNEL REQUIRED TO USE RESPIRATORY AND EYE PROTECTION. Unusual Fire/Explosion Hazard:IF IGNITED, HCL AND CO MAY BE PRODUCED.
======================================
Spill Release Procedures: RECOVER AND PLACE IN SUITABLE CONTAINERS FOR DISPOSAL.
======================================
Handling and Storage Precautions:KEEP AWAY FROM OPEN FLAMES, HIGH HEAT SOURCES.
======================================
Respiratory Protection:NORMALLY NOT NEEDED. Ventilation:LOCAL EXHAUST AND MECHANICAL. Protective Gloves:NOT NEEDED UNLESS MATERIAL IS HOT. Eye Protection:NORMALLY NOT NEEDED UNLESS MAT'L IS HOT. Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER USE. PRACTICE GOOD PERSONAL HYGIENE. Supplemental Safety and Health

========== Physical/Chemical Prope

HCC:N1 Melt/Freeze Pt:M.P/F.P Text:N/A SOFTENS Spec Gravity:1.73 Solubility in Water:NOT SOLUBLE Appearance and Odor:TACKY SOLID, SLIGHT PETROLEUM ODOR.

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:HCL, CO UPON IGNITION.

Waste Disposal Methods:CONSULT AN EXPERT DISPOSAL ACCORDING TO LOCAL DISPOSAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their par

ticular situation.