

J.D. LINCOLN, INC. -- L-313 MODIFIED EPOXY FILM -- 8040-01-126-6268

=====
Product Identification
=====

Product ID:L-313 MODIFIED EPOXY FILM

MSDS Date:01/18/1991

FSC:8040

NIIN:01-126-6268

Kit Part:Y

MSDS Number: BKJVF

=== Responsible Party ===

Company Name:J.D. LINCOLN, INC.

Address:937 NEWHALL STREET

City:COSTA MESA

State:CA

ZIP:92627

Country:US

Info Phone Num:714-650-8106

Emergency Phone Num:714

-650-8106

Preparer's Name:R.W. PICKENS

CAGE:DO385

=== Contractor Identification ===

Company Name:J D LINCOLN INC

Address:937 NEWHALL ST

Box:City:COSTA MESA

State:CA

ZIP:92627

Country:US

Phone:714-650-8106

CAGE:0K9V8

Company Name:J.D. LINCOLN, INC

Address:937 NEWHALL STREET

City:COSTA MESA

State:CA

ZIP:92627

Phone:714-650-8106

CAGE:DO385

=====
Composition/Information on Ingredients
=====

Ingred Name:BISPHENYL A EPOXIDE

Other REC Limits:NONE SPECIFIED

Ingred Name:EPOXIDIZED PH

ENOL-FORMALDEHYDE NOVOLAC

CAS:28064-14-4

Other REC Limits:NONE SPECIFIED

Ingred Name:CYANOQUANIDINE

CAS:461-58-5

RTECS #:ME9950000

Other REC Limits:NONE SPECIFIED

Ingred Name:SILICON DIOXIDE

CAS:112945-52-5

RTECS #:VV7310000

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD:ORAL1000MG/KG RAT-SKIN>4000MG/KG RAT

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Health Hazards Acute and Chronic:SKIN IRRITATION AND SENSITIZATION.

Effects of Overexposure:SKIN IRRITATION AND SENSITIZATION.

Medical Cond Aggravated by Exposure:ALLERGY, ECZEMA OR SKIN CONDITION.

=====
===== First Aid Measures =====

First Aid:SKIN:PROMPTLY WASH THOROUGHLY WITH MILD SOAP AND WATER.INGESTION:IF CONSCIOUS, GIVE LARGE QUANTITIES OF WATER. GET IMMEDIATE MEDICAL ATTENTION. INHALATION:REMOVE TO FRESH AIR. GIVE OXYGEN IF BREATHING IS DIFFICULT. PROMPTLY REMOVE WET CONTAMINATED LEATHER AND ABSORBENT SHOES.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:>200F,>93C

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER SPRAY.

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:DECOMPOSITION AND COMBUSTION PRODUCTS MAY BE TOXIC. VIOLENT EXOTHERMIC REACTION MAY OCCUR.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE HEAT SOURCE

RCES. ABSORB ONTO SAND OR OTHER
ABSORBENT MATERIAL SOLUBLE IN ACETONE. SHOVEL INTO CLOSABLE
CONTAINER FOR DISPOSAL. WEAR PROTECTIVE EQUIPMENT SPECIFIED BELOW.
FLUSH CONTAMINATED AREA WITH WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:WARNING!CAUSES IRRIT AND
SENSITIZATION.KEEP AWAY FROM HEAT SOURCES,HOT EQUIPMENT AND
SUNLIGHT.STORE IN CLOSED CONTAINERS IN COLD(BELOW 40F)DRY AREAS.
Other Precautions:DO NOT CONTAM
INATE. DO NOT GET IN EYES, ON SKIN OR
CLOTHING. DO NOT BREATHE VAPOR, MIST OR SPRAY. USE ONLY WITH
ADEQUATE VENTILATION.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR SUITABLE FOR
ORGANIC VAPORS, IF REQUIRED.
Ventilation:GOOD GENERAL MECHANICAL VENTILATION AND LOCAL EXHAUST.
Protective Gloves:WEAR IMPERVIOUS GLOVES.
Eye Protection:SPLASH PROOF CHEM GOGGLES OR FACESHIELD.
Other Protective Equipment:WEAR PROTE
CTIVE CLOTHING TO PREVENT
PROBABILITY OF PERSONAL CONTACT.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE
EATING, DRINKING OR SMOKING.
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:>392F,>200C
Spec Gravity:1.21
Solubility in Water:INSOLUBLE
Appearance and Odor:VERY HIGH VISCOSITY LIQUID

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid
:YES
STRONG OXIDIZERS, ACIDS, ALKALIES
Stability Condition to Avoid:HEAT, ACIDS, ALKALIES, HOT SPOTS. AVOID
USING BAND HEATERS.
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,
NITROGEN AND SULFUR CONTAINING COMPOUNDS, ALDEHYDES.

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND
LOCAL REGULATION.

Disclaimer (provided with this information by the compiling agencies):
This infor

mation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.