Product ID: PHOSPHORIC ACID (70-85%) MSDS Date:07/01/1981 FSC:4910 NIIN:01-030-6643 MSDS Number: BKLLL === Responsible Party === Company Name: FMC CORP Address:2000 MARKET ST. Box:NONE City:PHILADELPHIA State:PA ZIP:19103-3230 Country:US Info Phone Num:215-299-6000 Emergency Phone Num:215-299-6000 CAGE:93090 === Contractor Identification === Company Name: CRANE RESISTOFLEX CO Address:2575 W 5TH ST Box:City:JACKSONVILLE State:FL ZIP:32205 Country:US Phone:904-389-3400 CAGE:50599 Company Name: FMC CORP CHEMICAL PRODUCTS GROUP Address:2000 MARKET ST. Box:City:PHILADELPHIA State:PA ZIP:19103-3230 Country:US Phone:215-200-6000 CAGE:93090 Company Name: STRATEGIC PROCUREMENT SERVICE INC, W AND W LOGISTICS DIV Address:2 MADISON ROAD Box:City:FAIRFIELD State:NJ ZIP:07004 Country:US Phone:973-575-6620 **CAGE:793**

43

Company Name:WARD INDUSTRIES, INC Address:29 PORETE AVENUE Box:City:NORTH ARLINGTON State:NJ ZIP:07032-6797 Country:US Phone:201-991-8777 CAGE:7H162

Ingred Name:PHOSPHORIC ACID (SARA III) CAS:7664-38-2 RTECS #:TB6300000 Fraction by Wt: 70-85% Other REC Limits:NONE SPECIFIED OSHA PEL:1 MG/M3/3 STEL ACGIH TLV:1 MG/M3/3 STEL; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fra ction by Wt: BALANCE Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 1530 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: CAN CAUSE BURNS TO EYES AND SKIN. IRRITATIONG TO UPPER RESPIRATORY TRACT. INGESTION: SLIGHTLY TOXIC. Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS

LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure: EYE, SKIN & RESPIRATORY TRACT IRRITATION. MAY

CAUSE COUGHING, WHEEZING AND OTHER DIFFICULTIES IN BREATHING. Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH PRE-EXISTING DISEASE INVOLVING THE RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING

GIVE CPR.

CALL A PHYSICIAN. EYE: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES. CALL A PHYSICIAN. SKIN: WASH WITH PLENTY OF SOAP & WATER. REMOVE CONTAMINATED CLOTHING/SHOES. INGESTION: DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE 2 GLASSES OF WATER TO DRINK. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. CALL A PHYSICIAN.

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire

Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures:DIKE AREA AND NEUTRALIZE. SCOOP UP OR VACUUM UP. RINSE RESIDUAL TRACES WITH WATER. PRACTICALLY NON-TOXIC TO AQUATIC LIFE. Neutralizing Agent:SODA ASH

 Handling and Storage Precautions:STORE IN A COOL, DRY AREA AWAY FROM YELLOW OR RED LABEL ITEMS. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. CORROSIVE TO MILD STEEL AND ALUMINUM.
Other Precautions:SUITABLE CONTAINERS ARE GLASS, POLYETHYLENE LINED DRUMS, FIBERGLAS, ETC.

Respiratory Protecti on:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR DECISION LOGIC-PUBL ICATION NUMBER 87.108. Ventilation:PROVIDE SUFFICIENT LOCAL EXHAUST VENTILATION TO CONTROL INHALATION EXPOSURES BELOW OSHA'S PEL. Protective Gloves:NEOPRENE OR RUBBER Eye Protection:SAFETY GOGGLES & FACE SHIELD Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. IN DUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

DO NOT GET ON SKIN, IN EYES OR ON CLOTHING. DO NOT BREATHE VAPORS OR MISTS. WASH HANDS AND FACE AFTER USE. KEEP CONTAINER CLOSED WHEN NOT IN USE. THIS IS PART B OF A THREE PART KIT. SAME NSN.

HCC:C1 Boiling Pt:B.P. Text:266F,130C Vapor Pres: