

FIBER-RESIN CORPORATION -- FR-1072 BASE COMPONENT -- 8030-00-753-4599

=====
Product Identification
=====

Product ID:FR-1072 BASE COMPONENT

MSDS Date:09/10/1990

FSC:8030

NIIN:00-753-4599

Kit Part:Y

MSDS Number: BKMGF

=== Responsible Party ===

Company Name:FIBER-RESIN CORPORATION

Address:170 W PROVIDENCIA AVENUE

City:BURBANK

State:CA

ZIP:91503

Country:US

Emergency Phone Num:800-424-9300

Preparer's

Name:SAM ENGEL, SR

CAGE:26348

=== Contractor Identification ===

Company Name:FIBER RESIN CORPORATION, H.B. FULLER COMPANY SUBSIDIARY

Address:20701 NORDHOFF ST

Box:City:CHATSWORTH

State:CA

ZIP:91311

Country:US

Phone:818-882-3022

CAGE:26348

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYSULFIDE POLYMER

CAS:68611-50-7

Fraction by Wt: 60-70%

Other REC Limits:NONE SPECIFIED

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: < 3%

Oth

er REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)
CAS:1317-65-3
RTECS #:EV9580000
Fraction by Wt: 20-30%
Other REC Limits:NONE SPECIFIED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:KAOLIN
CAS:1332-58-7
RTECS #:GF1670500
Fraction by Wt: < 5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:2 MG/M3 TDUST; 9293

Ingred Name:TITANIUM DIOXI
DE
CAS:13463-67-7
RTECS #:XR2275000
Fraction by Wt: < 5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: < 1%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Health Hazards Acute and Chronic:MODERA

TE IRRITANT TO EYES AND SKIN.

=====
First Aid Measures
=====

First Aid:SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. EYES: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. CALL A PHYSICIAN. INHALE: REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:400F,204C
Autoignition Temp:Autoignition Temp Text:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CO2, WATER SPRAY, DRY CHEMICAL OR FOAM
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.
Unusual Fire/Explosion Hazard:NONE KNOWN

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR RUBBER GLOVES AND WIPE UP WITH ABSORBENT MATERIAL. RESIDUE MAY BE REMOVED WITH CHLORINATED OR AROMATIC SOLVENT.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AT 77F OR BELOW.
Other Precautions:MATERIAL IS RELATIVELY NONHAZARDOUS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT NORMALLY REQUIRED.
Ventilation:MECHANICAL VENTILATION.
Protective Gloves:RUBBER GLOVES
Eye Protection:SAFETY GLASSES
Other Protective Equipment:AFTER WASH-UP APPLY PROTECTIVE HAND CREAM.
Supplemental Safety and Health
KEY1:N1.

=====
Physical/Chemical Properties
=====

==

HCC:N1

Boiling Pt:B.P. Text:>300F,>149C

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:>400F,>204C

Vapor Pres:NA

Vapor Density:1

Spec Gravity:1.5

pH:NA

Viscosity:1 M CPS

Evaporation Rate & Reference:NA

Solubility in Water:INSOLUBLE

Appearance and Odor:HEAVY, WHITE PASTE SLIGHT AROMATIC

Percent Volatiles by Volume:5

Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN

Stability Condition to Av

oid:AVOID CONTACT WITH STRONG ACIDS OR BASES.

Hazardous Decomposition Products:COMBUSTION WILL PRODUCE CARBON DIOXIDE
AND CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:MATERIAL CONTAINS NO RAW MATERIALS WITH KNOWN
LEVELS OF TCLP CONSTITUENTS. INCINERATE OR DISPOSE OF IN APPROVED
LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the De

partment

of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.