

FIBER-RESIN CORPORATION -- FR-1072 BASE COMPONENT -- 8030-00-878-8428

=====  
Product Identification  
=====

Product ID:FR-1072 BASE COMPONENT

MSDS Date:09/10/1990

FSC:8030

NIIN:00-878-8428

Kit Part:Y

MSDS Number: BKMGS

=== Responsible Party ===

Company Name:FIBER-RESIN CORPORATION

Address:170 W PROVIDENCIA AVENUE

City:BURBANK

State:CA

ZIP:91503

Country:US

Emergency Phone Num:800-424-9300

Preparer's

Name:SAM ENGEL, SR

CAGE:26348

=== Contractor Identification ===

Company Name:FIBER RESIN CORPORATION, H.B. FULLER COMPANY SUBSIDIARY

Address:20701 NORDHOFF ST

Box:City:CHATSWORTH

State:CA

ZIP:91311

Country:US

Phone:818-882-3022

CAGE:26348

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYSULFIDE POLYMER

CAS:68611-50-7

Fraction by Wt: 60-70%

Other REC Limits:NONE SPECIFIED

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: < 3%

Oth

er REC Limits:NONE SPECIFIED  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)  
CAS:1317-65-3  
RTECS #:EV9580000  
Fraction by Wt: 20-30%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:KAOLIN  
CAS:1332-58-7  
RTECS #:GF1670500  
Fraction by Wt: < 5%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:2 MG/M3 TDUST; 9293

Ingred Name:TITANIUM DIOXI  
DE  
CAS:13463-67-7  
RTECS #:XR2275000  
Fraction by Wt: < 5%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: < 1%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:200 PPM/300 STEL  
ACGIH TLV:200 PPM/300STEL 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Health Hazards Acute and Chronic:MODERA

TE IRRITANT TO EYES AND SKIN.

=====  
First Aid Measures  
=====

First Aid:SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. EYES: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. CALL A PHYSICIAN. INHALE: REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC  
Flash Point:400F,204C  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:CO2, WATER SPRAY  
, DRY CHEMICAL OR FOAM  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.  
Unusual Fire/Explosion Hazard:NONE KNOWN

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WEAR RUBBER GLOVES AND WIPE UP WITH ABSORBENT MATERIAL. RESIDUE MAY BE REMOVED WITH CHLORINATED OR AROMATIC SOLVENT.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE AT 77F OR BELOW.  
Other Precautions:MATERIAL IS RELATIVELY NONHAZARDOUS.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NOT NORMALLY REQUIRED.  
Ventilation:MECHANICAL VENTILATION.  
Protective Gloves:RUBBER GLOVES  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:AFTER WASH-UP APPLY PROTECTIVE HAND CREAM.  
Supplemental Safety and Health  
KEY1:N1.

=====  
Physical/Chemical Properties  
=====

HCC:N1  
Boiling Pt:B.P. Text:>300F,>149C

Melt/Freeze Pt:M.P/F.P Text:NA  
Decomp Temp:Decomp Text:>400F,>204C  
Vapor Pres:NA  
Vapor Density:1  
Spec Gravity:1.5  
pH:NA  
Viscosity:1 M CPS  
Evaporation Rate & Reference:NA  
Solubility in Water:INSOLUBLE  
Appearance and Odor:HEAVY, WHITE PASTE SLIGHT AROMATIC  
Percent Volatiles by Volume:5  
Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE KNOWN  
Stability Condition to Avoid:AVOID CONTACT WITH STRONG ACIDS OR BASES

Hazardous Decomposition Products:COMBUSTION WILL PRODUCE CARBON DIOXIDE  
AND CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:MATERIAL CONTAINS NO RAW MATERIALS WITH KNOWN  
LEVELS OF TCLP CONSTITUENTS. INCINERATE OR DISPOSE OF IN APPROVED  
LANDFILL.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of  
America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.