View NSN Online: https://aerobasegroup.com/nsn/9150-01-321-3330

## PENNZOIL COMPANY -- EP BEARING GREASE 706 -- 9150-01-321-3330

Product ID:EP BEARING GREASE 706

MSDS Date:07/02/1997

FSC:9150

NIIN:01-321-3330

MSDS Number: BKMZM === Responsible Party ===

Company Name: PENNZOIL COMPANY

Box:808

City:OIL CITY

State:PA ZIP:16301 Country:US

Info Phone Num:713-236-6070/713-546-8512

Emergency Phone Num:713-236-6070/713-546-8512

CAGE:835

89

=== Contractor Identification ===

Company Name: PENNZOIL COMPANY

Box:808 City:OIL CITY State:PA

ZIP:16301 Country:US

Phone:713-236-6070/713-546-8512

CAGE:83589

Company Name:SDB CONSULTANTS LTD Address:401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA ZIP:70056 Country:US

Phone:504-366-9105

CAGE:0PGK2

======= Composition/Information on Ingredients ========

Ingred Name: BASE LUBRICATING OIL

Fraction by Wt: 70-80%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

**ACGIH** 

TLV:5 MG/M3 AS OIL MIST

Ingred Name:LITHIUM SOAP

Fraction by Wt: 5-10%

Other REC Limits: NONE RECOMMENDED

Ingred Name: EXTREME PRESSURE AGENT

Fraction by Wt: 900F

Extinguishing Media:CARBON DIOXIDE, CHEMICAL FOAM, OR DRY

CHEMICAL.WATER MAY BE INEFFECTIVE BUT CAN BE USED TO COOL

**CONTAINERS NEARBY FLAMES** 

Fire Fighting Procedures:USE NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS & FULL PROTECTIVE EQUIPMENT.WATER/FOAM MAY CAUSE FROTHING ESPECIALLY IF SPRAYED INTO HOT/BURNING LIQ

UID.

Unusual Fire/Explosion Hazard:DENSE SMOKE MAY BE GENERATED WHILE BURNING. CARBON MONOXIDE, CARBON DIOXIDE, AND OTHER OXIDES MAY BE GENERATED AS PRODUCTS OF COMBUSTION.

========= Accidental Release Measures ===========

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION.CONTAIN SPILL.ABSORB WITH SAND,CLAY ETC..LARGE SPILL MAY BE PICKED UP USING VACUUM PUMPS,SHOVELS OR BUCKETS AND PLACE IN DRUMS. NOTIFY APPROPRIATE AUTHORITIES OF SPILL.

Neutralizing

Agent: NONE SPECIFIED BY MANUFACTURER.

========== Handling and Storage ==============

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS AWAY FROM HEAT,SPARKS,OPEN FLAME OR OXIDIZERS.

Other Precautions:MINIMIZE SKIN CONTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES (SHOES) THAT CAN NOT BE DECONTAMINATED.

_	_	_
_	_	_

===== Exposure Controls/Personal Protection ========

Respiratory Protection:NONE NORMALLY REQUIRED.IF VAPORS/MIST IS GENERATED WHEN THE MATERIAL IS HEATED/HANDLED,USE A NIOSH CERTIFIED ORGANIC VAPOR RESPIRATOR WITH A DUST AND MIST FILTER.DO NOT USE COMPRESSED OXYGEN IN HYDROC ARBON ATMOSPHERES.

Ventilation:LOCAL/MECHANICAL (NON-SPARKING EQUIPMENT) TO MAINTAIN CONCENTRATIONS BELOW THE SPECIFIED EXPOSURE/FLAMMABLE LIMITS. Protective Gloves:NEOPRENE RUBBER AS REQUIRED.

Eye Protection: SAFETY GLASSES RECOMMENDED. Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: CONSUMPTION OF FOOD AND BEVERAGE SHOULD BE AVOIDED IN WORK AREAS. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health ======== Physical/Chemical Properties =========== HCC:V6 Boiling Pt:B.P. Text:>800F,>427C Melt/Freeze Pt:M.P/F.P Text:370F,188C Spec Gravity :< 1.0 Solubility in Water: INSOLUBLE Appearance and Odor: OPAQUE, DARK GREEN COLOR; MILD PETROLEUM ODOR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid: OPEN FLAMES Hazardous Decomposition Products:NONE ======= Disposal Considerations =========== Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL REGULATIONS.T

HE MATERIAL, IF

SPILLED/DISCARDED,MAY BE A REGULATED WASTE.IF REGULATED SOLVENTS ARE USED TO CLEAN UP SPILLED MATERIA L,THE REGULATING WASTE MIXTURE MAY BE REGULATED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any

person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.