View NSN Online: https://aerobasegroup.com/nsn/5330-01-042-2856

FLEXITALLIC GASKET CO INC -- ASBESTOS FILLED SPIRAL WOUND GASKET -- 5330-01-042-2856

Product ID: ASBESTOS FILLED SPIRAL WOUND GASKET

MSDS Date:07/09/1986

FSC:5330

NIIN:01-042-2856

MSDS Number: BKNWD === Responsible Party ===

Company Name: FLEXITALLIC GASKET CO INC

Address:8440 REMINGTON AVE

Box:286

City:PENNSAUKEN

State:NJ ZIP:08110 Country:US

Info Phone Num:609-4

86-4400

Emergency Phone Num:609-486-4400

CAGE:72433

=== Contractor Identification ===

Company Name: FLEXITALLIC GASKET CO.INC

Address:8440 REMINGTON AVENUE

Box:286

City:PENNSAUKEN

State:NJ ZIP:08110 Country:US

Phone:609-486-4400

CAGE:72433

======= Composition/Information on Ingredients ========

Ingred Name: ASBESTOS, CHRYSOTILE

CAS:12001-29-5 RTECS #:CI6478500

Other REC Limits: NONE SPECIFIED

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:2 FIBERS/CC; A1;9192

====== Hazards Identi

fication ====================================
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:YES Health Hazards Acute and Chronic:BREATHING OF ASBESTOS FIBERS IN SIGNIFICANT AMOUNTS MAY PRODUCE IRREVERSIBLE LUNG DISEASE AND CANCER.
Explanation of Carcinogenicity: ASBESTOS IS OSHA REGULATED.
========== Fire Fighting Measures ===========
Extinguishing Media:DETERMINED BY SURROUNDING MATERIALS, ASBESTOS IS NOT FLAMMABL E.
======== Accidental Release Measures ==========
Spill Release Procedures:VACUUM FINES AND DUST, CAREFULLY AVOIDING DUSTING. IF SWEEPING IS USED, CONTROL DUST BY WETTING AREA AND USE APPROPRIATE DUST MASK.
=========== Handling and Storage ============
Handling and Storage Precautions:NOT APPLICABLE SINCE THE FINISHED PRODUCT IS A SPIRAL WOUND GASKET. Other Precautions:SEE OTHER REGULATIONS FOR ASBESTOS HANDLING IN CFR TITLE 29, PAR T 1910, SUBPART 2, PAR. 1910.1001.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE MESA/MSA/OSHA RESPITATOR IF DESIRED. Ventilation:CONSULT LOCALLY APPLICABLE REGULATIONS. Work Hygienic Practices:KEEP WORK AREA CLEAN OF ASBESTOS DUST. Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:T6 Spec Gravity:2.5 Appearance and Odor:LIGHT BLUE, NO ODOR.
======== Stability and Reactivity

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.
======== Disposal Considerations ===========
Waste Disposal Methods:FOLLOW FEDERAL, STATE AND LOCAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or imp
lied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

Data ========

particular situation.