View NSN Online: https://aerobasegroup.com/nsn/9140-00-286-5296

DIAMOND SHAMROCK REFINING AND MARKETING CO -- #2 DIESEL FUEL -- 9140-00-286-5296

Product ID:#2 DIESEL FUEL MSDS Date:12/15/1988 FSC:9140 NIIN:00-286-5296 MSDS Number: BKPHM === Responsible Party === Company Name: DIAMOND SHAMROCK REFINING AND MARKETING CO Address:9830 COLONNADE BLVD Box:696000 **City:SAN ANTONIO** State:TX ZIP:78269-6000 Country:US Info Phone Num:512 -641-8601 Emergency Phone Num:512-641-8800 CAGE:3P045 === Contractor Identification === Company Name: DIAMOND SHAMROCK REFINING AND MARKETING CO Address:9830 COLONNADE BLVD Box:696000 **City:SAN ANTONIO** State:TX ZIP:78269-6000 Country:US Phone:210-641-8601 CAGE:3P045

Ingred Name:KEROSENE CAS:8008-20-6 RTECS #:OA5500000 Fraction by Wt: 0-20% % Other REC Limits:NONE SPECIFIED OSHA PEL:100 PPM ACGIH TLV:100 PPM 9091

Ingred Name:DI

STILLATES,STREIGHT RUN MIDDLE CAS:64741-44-2 RTECS #:LX3296000 Fraction by Wt: 40-70% % Other REC Limits:NONE SPECIFIED

Ingred Name:LIGHT HYDROCARBON BLEND CAS:64741-59-9 Fraction by Wt: 20-40% % Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: IRRITATI ON OF UPPER RESPIRATORY TRACT WITH CENTRAL NERVOUS SYSTEM STIMULATION, SKIN IRRITATION, EYE IRRITATION, IRRITATION OF MUCOUS MEMBRANES OF THROAT, ESOPHAGUS AND STOMACH, GASTROINTESTINAL IRRITA TION, DEPRESSION. EXPERIENCE HAS SHOWN NO MAJOR CUMULATIVE OR LATENT EFFECTS DUE TO CHRONIC EXPOSURE. Explanation of Carcinogenicity: THE MATERIALS IN THIS PRODUCT ARE NOT LISTED AS CARCINOGENIC BY IARC, NTP OR OSHA. Effects of Overexposure: DEPRESSION, DIZZINESS, HEADACHE, INCOOR DINATION, ANESTHESIA, COMA, RESPIRATORY ARREST, SKIN DEFATTING, BURNING OF SKIN/EYES, SWELLING OF EYELIDS, NAUSEA. VOMITING. Medical Cond Aggravated by Exposure: CONDITIONS WHICH HAVE THE SAME SYMPTOMS OR EFFECTS AS STATED ABOVE. First Aid: EYES: IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND FOOTWEAR. INHALATION: REMOVE TO FRESH AIR. IF BREATHING HAS ST OPPED, RESUSCITATE AND ADMINISTER OXYGEN IF AVAILABLE. INGESTION: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DO NOT INDUCE VOMITING. KEEP AIRWAY CLEAR. IN ALL CASES, SEEK MEDICAL ATTENTION

Flash Point Method:PMCC Flash Point:140F,60C Lower Limits:1 % Upper Limits:5 % Extinguishing Media:DRY CHEMICAL, FOAM OR CARBON DIOXIDE OR WATER SPRAY. Fire Fighting Procedures: PRESSURE-DEMAND, SELF CONTAINED BREATHING APPARATUS SHOULD BE PROVIDED FOR FIRE FIGHTERS IN BUILDINGS OR CONFINED AREAS WHERE PRODUCT IS STORED. Unusual Fire/Explosion Hazard: CLOTHING, RAGS, OR SIMILAR ORGANIC MATERIAL CONTAMINATED WITH THE PRODUCT AND STORED IN A CLOSED SPACE MAY UNDERGO SPONTANEOUS COMBUSTION. Spill Release Procedures: IF MATERIAL IS SPILLED OR RELEASED TO ATMOSPHERE, STEPS SHOULD BE TAKEN TO CONTAIN LIQUIDS AND PREVENT DISCHARGES TO STREAMS OR SEWER SYSTEMS. CONTROL OR STOP THE LOSS OF VOLATILE MATERIALS TO THE AIR . SPILLS OR RELEASES SHOULD BE REPORTED. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: STORE IN COOL, WELL VENTILATED AREA OF NON-COMBUSTIBLE CONSTRUCTION AWAY FROM POSSIBLE SOURCES OF **IGNITION.** Other Precautions: NOTES TO PHYSICIAN: GASTRIC L AVAGE ONLY IF LARGE QUANTITY HAS BEEN INGESTED. GUARD AGAINST ASPIRATION INTO LUNGS WHICH MAY RESULT IN CHEMICAL PNEUMONITIS. IRREGULAR HEARTBEAT MAY OCCUR; USE OF ADRENAL IN IS NOT ADVISABLE. TREAT SYMPTOMS. Respiratory Protection:NOT REQUIRED UNDER NORMAL USE. USE NIOSH/MSHA APPROVED RESPIRATORY PROTECTION FOLLOWING MANUFACTURER'S RECOMMENDATION WHERE SPRAY, MIST OR VAPOR IS GENERATED. SUPPLIED AIR RE SPIRATORY PROTECTION IS RE QUIRED FOR IDLH AREAS. Ventilation:WORK IN WELL VENTILATED AREAS. SPECIAL VENTILATION IS NOT REQUIRED UNDER NORMAL USE. Protective Gloves: IMPERVIOUS GLOVES Eye Protection: FACE SHIELD & GOGGLES OR CHEMICAL GOGGLE Other Protective Equipment: STANDARD WORK CLOTHING, ACCESSIBLE EYEWASH AND SHOWER. Work Hygienic Practices: CONTAMINATED CLOTHING AND SHOES SHOULD BE WASHED WITH SOAP AND WATER AND DRIED BEFORE REUSE. Supplemental Safety and Health **BLEND VARIES TO MEE**

T SPECIFICATIONS. PHYSICAL DATA MAY VARY SLIGHTLY TO MEET SPECIFICATIONS.

HCC:F4 Boiling Pt:B.P. Text:330F,166C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:0.82-0.87 Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:TRACE Appearance and Odor:YELLOW (STRAW) LIQUID WITH AROMATIC ODOR; ODOR THRESHOLD APPROX 1 PPM.

Percent Volatiles by Volume:100 %

=======

Stability Indicator/Materials to Avoid:YES SEPARATE FROM OXIDIZING MATERIALS. Stability Condition to Avoid:AVOID PHYSICAL DAMAGE. AVOID SOURCES OF IGNITION. Hazardous Decomposition Products:THERMAL DECOMPOSITION PRODUCTS MAY

INCLUDE CARBON MONOXIDE, CARBON DIOXIDE AND OTHER HYDROCARBONS.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE

LOCAL, STATE AND FEDERAL REGULATIONS. WASTE PRODUCT AND CONTAMINATED MATERIAL WILL BE CONSIDERED A HAZARDOUS WASTE IF THE FLASH POINT IS LESS THAN 140F REQ UIRING DISPOSAL AT AN APPROVED HW FACILITY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaim s all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.