

GRAHAM PAINT AND VARNISH CO INC -- SURFACE FLOOR SEALER, WATER, EMULSION --  
8010-00-530-8370

===== Product Identification =====

Product ID: SURFACE FLOOR SEALER, WATER, EMULSION

MSDS Date: 01/01/1987

FSC: 8010

NIIN: 00-530-8370

MSDS Number: BKPHZ

=== Responsible Party ===

Company Name: GRAHAM PAINT AND VARNISH CO INC

Address: 4800 S RICHMOND AVE

City: CHICAGO

State: IL

ZIP: 60632-2022

Country: US

Info Phon

e Num: 312-376-7676 / FAX 312-376-9449

Emergency Phone Num: 312-376-7676

CAGE: 61945

=== Contractor Identification ===

Company Name: GRAHAM PAINT AND VARNISH CO INC

Address: 4800 S RICHMOND AVE

Box: City: CHICAGO

State: IL

ZIP: 60632-2022

Country: US

Phone: 312-376-7676

CAGE: 61945

===== Composition/Information on Ingredients =====

Ingred Name: NON-HAZARDOUS INGREDIENTS

Other REC Limits: NONE SPECIFIED

Ingred Name: WATER

CAS: 7732-18-5

RTECS #: ZC0110000

Other REC Limits: NONE SPECIFIED

====

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:EYES: CAN CAUSE MILD IRRITATION,  
REDNESS, TEARING, BLURRED VISION. SKIN: PROLONGED OR REPEATED  
CONTACT CAN CAUSE MILD IRRITATION. SWALLOWING: CAN CAUSE  
GASTRONIMICAL IRRITATION.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH PLENTY OF WATER. SKIN: WASH WITH SOAP AND  
WATER, USE  
EMOLLIENT CREAM. SWALLOWING: INDUCE VOMITING AT ONCE,  
SEE PHYSICIAN. INHALATION: REMOVE TO FRESH AIR.

=====  
Fire Fighting Measures  
=====

Flash Point:NA  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE, DRIED FILMS ARE CAPABLE OF BURNING.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:CONTAIN SPILL WITH INERT MATERIAL; TRANSFER  
LIQUID TO CONTAINERS FOR RECOVERY OR DISPOSAL; KEEP SPILL OUT  
OF  
SEWERS OR OPEN BODIES OF WATER; FLOORS MAY BE SLIPPERY.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT FREEZE.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED.  
Protective Gloves:IMPERVIOUS TYPE.  
Eye Protection:SPLASHPROOF SAFETY GOGGLES.  
Other Protective Equipment:EYEWASH STATION.  
Supplemental Safety and Health

=====  
Phy  
=====

sical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:17 (WATER)

Vapor Density:WATER

Spec Gravity:1.01-1.03

pH:\*86.2

Evaporation Rate & Reference:1

Solubility in Water:MISCIBLE

Percent Volatiles by Volume:85.8-\*

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:OXIDES OF CARBON, TOXIC MONOMER FUMES  
AND OXIDES OF NITROGEN.

===== Disposa

I Considerations =====

Waste Disposal Methods:INCINERATE OR LANDFILL IN ACCORDANCE WITH  
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document

should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.