View NSN Online: https://aerobasegroup.com/nsn/9150-01-092-9755

SHELL OIL COMPANY, PRODUCT SAFETY & COMPLIANCE -- DONAX (R) TF FLUID 9150-01-092-9755 Product ID:DONAX (R) TF FLUID MSDS Date:04/22/1991 FSC:9150 NIIN:01-092-9755 MSDS Number: BKPKL === Responsible Party === Company Name: SHELL OIL COMPANY, PRODUCT SAFETY & COMPLIANCE Box:4320 **City:HOUSTON** State:TX ZIP:77210 Country:US Info Phone Num:713-241-4819 **Emergency Pho** ne Num:713-473-9461 (24 HOUR EMERGENCY) Preparer's Name: Q. A. VAN GELDER CAGE:54527 === Contractor Identification === Company Name: GRAHAM CHUCK CHEVROLET CADILLAC CO Address:1515 S MAIN ST Box:City:BELLEFONTAINE State:OH ZIP:43311 Country:US Phone:513-592-3015 CAGE:0LG89 Company Name: SHELL OIL COMPANY Address:Box:2463 City:HOUSTON State:TX ZIP:77210 Country:US Phone:800-231-6950 CAGE:54527

Ingred Name: DISTILLATES, HYDROTREATE

D HEAVY PARAFFINIC CAS:64742-54-7 RTECS #:PY8035500 Fraction by Wt: 80 - 85% Other REC Limits:NONE SPECIFIED OSHA PEL:300 PPM ACGIH TLV:300 PPM

Ingred Name:ADDITIVE CONTAINING ZINC DIALKYL DITHIOPHOSPHATE Fraction by Wt: < 10% Other REC Limits:NONE SPECIFIED

Ingred Name:HYDROTREATED MIDDLE PETROLEUM DISTILLATE CAS:64742-46-7 RTECS #:JN9379645 Fraction by Wt: 0 - 15% Other REC Limits:NONE SPECIFIED

Ingred Name:MINERAL OIL CAS:64742-53-6 RTECS #:PY8036000 Fraction by Wt: 0 - 15% Other REC Limit s:NONE SPECIFIED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-EYES/SKIN:MILD IRRITATION.PROLONGED/REPEATED CONTACT WITH SKIN MAY RESULT IN DERMATITIS.INHALATION:VAPOR (HIGH TEMPERATURE)/OIL MIST MAY CAUSE MILD IRRITATION OF THE UPPER RESPIRATORY TRACT.INGE STION:SLIGHTLY TOXIC.CHRONIC-NOT GIVEN. Explanation o f Carcinogenicity:THE IARC HAS DETERMINED THERE IS SUFFICIENT EVIDENCE FOR THE CARCINOGENICITY IN EXP. ANIMALS OF USED MOTOR OILS.

Effects of Overexposure: IRRITATION AS NOTED ABOVE.

Medical Cond Aggravated by Exposure:PREEXISTING SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:GET MEDICAL ATTENTION.INHALATION:REMOVE TO FRESH AIR.GIVE OXYGEN IF NEEDED.EYES:FLUSH WITH WATE **R FOR 15 MINUTES WHILE HOLDING** EYELIDS OPEN.SKIN:REMOVE CONTAMINATED CLOTHING.WIPE EXCESS OFF.WASH SKIN W ITH SOAP & WATER.INGESTION:DO NOT INDUCE VOMITING.NO TREATMENT IS NECESSARY UNLESS LARGE QUANTITIES OF PRODUCT ARE INGESTED. Flash Point Method: PMCC Flash Point:350F,177C Extinguishing Media:WATER FOG,CO2,FOAM,OR DRY CHEMICAL.DON'T USE A DIRECT STREAM OF WATER.PRODUCT WILL FLOAT & CAN BE REIGNITED ON SURFACE. Fire Fighting Procedures: USE A POSITIVE-PRESSURE NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. USE WATER TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER. Spill Release Procedures: DIKE AND CONTAIN. REMOVE WITH VACUUM TRUCK OR PUMP TO STORAGE SALVAGE VESSELS.SOAK UP RESIDUE WITH AN ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIALS. FLUSH AREA WITH WATER TO REMOVE TRACE RESID UE. TAKE UP SMALL SPILLS WITH AN ABSORBENT MATERIAL Neutralizing Agent:NOT APPLICABLE. Handling and Storage Precautions: STORAGE-STORE IN A COOL, WELL VENTILATED AREA.KEEP AWAY FROM FLAMES, HEAT & OXIDIZERS. Other Precautions: DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR.AVOID CONTACT WITH EYES AND SKIN. WASH HANDS BEFORE EATING OR DRINKING.DISCARD CON TAMINATED LEATHER ARTICLES. Respiratory Protection:NORMALLY NOT NECESSARY.IF MIST GENERATED BY HEATING, SPRAYING, ETC. WEAR APPROVED ORGANIC VAPOR RESPIRATOR SUITABLE FOR OIL MIST IN AREAS WITH SUFFICIENT OXYGEN. Ventilation: MECHANICAL VENTILATION

Protective Gloves:NITRILE

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION.LONG SLEEVE CLOTHING TO MINIMIZE SKIN CONTACT.

Work Hygienic Practices:O

BSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.
Supplemental Safety and Health
======================================
HCC:V6 Melt/Freeze Pt:M.P/F.P Text:-45F,-43C Spec Gravity:0.8708 Solubility in Water:NEGLIGIBLE Appearance and Odor:DARK RED LIQUID. SLIGHT HYDROCARBON ODOR
======================================
Stability Indicator/Materials to Avoid:YES STRON G OXIDIZING AGENTS Stability Condition to Avoid:EXCESSIVE HEAT AND OPEN FLAME Hazardous Decomposition Products:CARBON MONOXIDE AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED UPON COMBUSTION.
Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is f ormulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.