Product ID:CRESYLIC ACID MSDS Date:03/01/1991

FSC:6810

NIIN:00-264-9019

MSDS Number: BKQVH === Responsible Party ===

Company Name: MERICHEM COMPANY

Address:1914 HADEN ROAD

City:HOUSTON

State:TX ZIP:77015 Country:US

Info Phone Num:713-455-1311

Emergency Phone Num:713-455-1311/800-424-9300(CHEMTREC)

CAGE:MERIC

=

== Contractor Identification ===

Company Name: LOS ANGELES CHEMICAL CO

Address:4545 ARDINE ST

Box:1987

City:SOUTH GATE

State:CA ZIP:90280 Country:US

Phone:213-562-9500

CAGE:75656

Company Name: MERICHEM COMPANY

Address:1914 HADEN ROAD

Box:City:HOUSTON

State:TX ZIP:77015 Country:US

Phone:713-455-1311

CAGE:MERIC

====== Composition/Information on Ingredients ========

Ingred Name:PHENOL

CAS:108-95-2

RTECS #:SJ3325000 Fraction by Wt: 29%

Other REC Limits: NONE SPECIFIED

OSHA PEL:S, 5 PPM

ACGIH TLV:S, 5 PPM; 9091 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:M-CRESOL (SARA III)

CAS:108-39-4

RTECS #:GO6125000 Fraction by Wt: 19%

Other REC Limits: NONE SPECIFIED

OSHA PEL:S, 5 PPM ACGIH TLV:S, 5 PPM; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: O-CRESOL (SARA III)

CAS:95-48-7

RTECS #:GO6300000 Fraction by Wt: 17%

Other REC Limits: NONE SPECIFIED

OSHA PEL:S, 5 PPM

ACGIH TLV:S, 5 PPM; 9192 EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:P-CRESOL (SARA III)

CAS:106-44-5

RTECS #:GO6475000 Fraction by Wt: 10%

Other REC Limits: NONE SPECIFIED

OSHA PEL:S, 5 PPM ACGIH TLV:S, 5 PPM; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:XYLENOL (SARA III)

CAS:1300-71-6 RTECS #:ZE5425000 Fraction by Wt: 10%

Other REC Limits: NONE SPECIFIED

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: ETHYL PHENOLS

Fraction by Wt: 6%

Other REC Limits: NONE SPECIFIED

Ingred Name:PHENOL,2,4-DIMETHYL

Fraction by Wt: 5%

Other REC Limits: NONE SPECIFIED

Ingred Nam

e:ALKYL PHENOLS Fraction by Wt: 4% Other REC Limits:NONE SPECIFIED
======== Hazards Identification ==========
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-ABSORPTION MAY CAUSE MUSCULAR WEAKNESS,GASTRIC DISTURBANCES,SEVERE DEPRESSION,SHOCK,COLLAPSE & DEATH. INGESTION:CAUSES INTENSE BURNING OF THE MOUTH & THROAT,ABDOMINAL PAIN, NAUSEA.SKIN:PENETRATE S & RE SULTS BURNS &
DERMATITIS.EYE:SEVERE CORNEAL DAMAGE.INHALATION:EDEMA.CHRONIC-MAY RESULT IN LUNG,LIVER,KIDNEY DAMAGE Effects of Overexposure:SKIN:DISCOLORATION,ANESTHETIZED,ITCHING,PAIN & TISSUE DESTRUCTION.ALTHOUGH THE EFFECTS ARE PRIMARILY ON THE CNS,EDEMA OF THE LUNGS & INJURY TO THE KIDNEY,LIVER,HEART,PANCREAS & SPLEEN MAY ALSO OCCUR.S OME INDIVIDUALS MAY BE HYPERSENSITIVE TO THIS MATERIAL.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:GET MEDICAL CARE IN ALL CASES.EYE: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES,INCLUDING UNDER THE EYELIDS.SKIN:IMMEDIATELY WASH WITH PLENTY OF WATER & SOAP.INHALATION:REMOVE TO FRESH AIR.GIV E CPR/OXYGEN IF NEEDED.INGESTION:IF CONSCIOUS,DRINK 3 OR MORE GLASSES OF MILK/WATER QUICKLY.NO SPECIFIC ANTIDOTE.
======================================
Flash Point:>175F,>79C Lo wer Limits:1.5
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, AFFF (FOAM), OR DRY

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: CONTAINER EXPLOSION MAY OCCUR UNDER FIRE CONDITIONS.

======== Accidental Release Measures ===============

Spill Release Procedures: EVACUATE AREA. SHUT OFF IGNITIO

N SOURCES.WEAR NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE EQUIPMENT.ABSORB SPILLED LIQUID ONTO INERT MATERIAL & TRANSFER INTO DISPOSAL DRUM.LARGE SPILLS SHOULD BE REMOVED USING A VACUUM TRUCK. Neutralizing Agent:NOT GIVEN ============= Handling and Storage ========================== Handling and Storage Precautions: STORAGE-STORE IN COOL, WELL VENTILATED PLACE AWAY FROM IGNITION SOURCES. Other Precautions: DANGER! CORROSIVE & POISON.BURNS EYES AND SKIN.HARMFUL IF SWALLOWED.AVOID CONTACT WITH EYES, SKIN OR CLOTHING.AVOID BREATHING VAPORS, MISTS OR SPRAY. DO NOT TAKE INTERNALLY.KEEP CONTAINER CLOSED.USE WITH ADEQUATE VENTILATION. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: USE NIOSH/MSHA APPROVED AIR PURIFYING RESPIRATOR EQUIPPED WITH ORGANIC VAPOR CARTRIDGES WHEN PERMISSIBLE EXPOSURE LIMITS ARE EXCEEDED. WHEN CONCENTRATION IS UNKNOWN, USE NIOSH/MSHA APPROVED AIR SUPPLI E D RESPIRATOR. Ventilation: PROVIDE GENERAL VENTILATION TO MEET OSHA PERMISSIBLE EXPOSURE LIMITS (OSHA PEL). Protective Gloves: HEAVY PVC OR BUTYL-VITON Eye Protection: CHEMICAL SAFETY GOGGLES & FACE SHIELD Other Protective Equipment: USE RUBBER SPLASH APRON AND RUBBER BOOTS. EYEWASH AND SAFETY SHOWER SHOULD BE LOCATED NEARBY. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health FORMULATION CHANGED. FRO PREVIOUS FORMULATION, PLEASE SEE P/N A SAME NSN. THI S PRODUCT, ALTHOUGH REFERRED TO AS CRESYLIC ACID, IS NOT CRESYLIC ACID FOR CERCLA (40 CFR 302.4) PURPOSES (PER MSDS).

======== Physical/Chemical Properties ===========

HCC:T3

Boiling Pt:B.P. Text:374F,190C Melt/Freeze Pt:M.P/F.P Text: